Distal **Upper Extremity** Surgical Management


Live Interactive Webinar Presented By Jodi Gootkin, PT, MEd, CEAS jodiemail@comcast.net **Course Overview** This course includes a review of current literature relating to surgical procedures for nerves, tendons, ligaments, and bones of the forearm, wrist and hand.

1

Course Rationale


The purpose of this course is to provide an understanding of the current trends in surgical procedures to manage degenerative, traumatic and non-traumatic pathologies of forearm, wrist, and hand. The emphasis is comparative analysis of contemporary surgical techniques to restore distal upper extremity function through repair of nerves, tendons, ligaments, and bones.

3



2







Topic

Time




Distal Upper Extremity Surgical Management Copyright Jodi Gootkin 2021







9



Distal Upper Extremity Surgical Management Copyright Jodi Gootkin 2021




Surgical Technique Minimally Invasive Open Arthroscopic cutaneo Procedure Combination Direct X-ray or Procedures visualization fluoroscopy into joint /isualizati Endoscopic Direct visualization into target area 12




Wide Awake Local Anesthesia No Tourniquet (WALANT) Patient remains conscious during surgery able to actively perform motions. Lidocaine Epinephrine No tourniquet vasoconstriction Lalonde, D., Eaton, C., Amadio, P., & Jupiter, J. (2015). Wide-awake hand and surgery: a new horizon in outpatient surgery. Instr Course Lect, 64, 249-259.

14




15


17





16



Distal Upper Extremity Surgical Management Copyright Jodi Gootkin 2021









 Caution is taken when approximating the nerve to avoid strangulated or loose nerve ends of the coaptation.

Rinker, B. D. (2018). Nerve Repair Manual: A Practical Approach to Injuries and Repair in the Brachial Plexus and Upper Extremity. Annals of plastic surgery. 80(1), e1.







21



Distal Upper Extremity Surgical Management Copyright Jodi Gootkin 2021



22






Neuroma Complication


- Neuroma formation during healing can lead to sensory loss, neuropathic pain, or the need for revision surgery.
- The inflammatory reaction during healing and increased concentration of nerve growth factor leads to connective tissue hyperplasia.



25



27




Distal Upper Extremity Surgical Management Copyright Jodi Gootkin 2021


Nerve Repair, Grafting, Transfer Rehab

- Immobilization without tensioning the nerve site followed by gradual mobilization to prevent joint contracture.
- Hyperesthesia during healing is a positive indicator of regeneration.
 - In pediatrics manifests as biting
- Patient education on safety particularly related to hot and cold sensation.
- Alternating current electrical stimulation can be initiated once volitional twitch contraction is evident.

26



28





Copyright 2021 (c) Innovative Educational Services and Jodi Gootkin. All rights reserved. Reproduction, reuse, or republication of all or any part of this presentation is strictly prohibited without prior written consent of both Innovative Educational Services and Jodi Gootkin

5

Carpal Tunnel Syndrome

- Entrapment of the median nerve occurs beneath the flexor retinaculum of the wrist resulting in weakness.
- Motor weakness of the hand intrinsics and thenar muscles limits grasp and pinch.
- Sensory impairment involves the palmar surface and dorsal nail bed of the thumb, index, middle, and radial side of ring finger.
- Surgery is indicated when conservative management fails to relieve persistent numbness and thenar wasting is evident.





Carpal Tunnel Anatomy

- Tendons of the flexor digitorum profundus and superficialis along with the median nerve are encased in a synovial membrane.
- Subsynovial connective tissue is layered within the tunnel to minimize shear stress with hand motion.





Carpal Tunnel Release (CTR)


- Open surgical decompression to divide the transverse carpal ligament increasing the space available for the median nerve and finger flexor tendons.
- Mini-open repair may provide earlier symptom relief and return to activity, but long-term outcomes compared to standard open release are inconclusive.




33





















CTR Complications


- Injury to palmar cutaneous or recurrent motor branch of median nerve
- Hypertrophic scarring
- Tendon adhesion
- Hematoma or infection
- Complex Regional Pain Syndrome (CRPS)
- Pillar Pain



39




Distal Upper Extremity Surgical Management Copyright Jodi Gootkin 2021




CTR Rehab Day 2 Incision protection Edema control Tendon gliding Thumb and digit IP blocked AROM Meek 3 Nerve gliding Scar massage and desensitization Theraputty grip and pinch Strengthening




	 CTR Post-op Rehab Research Current research does not reflect a clear benefit of post-operative rehabilitation to improve outcomes. 								
	Cohort	Interventions	Outcomes						
	2016 Cochrane Review	Splinting Exercise Cryotherpay Scar desensitization	Limited low quality evidence of benefit						
	2015 AAOS Guidelines	Supervised therapy	Moderate evidence no additional benefit						
	Peters S, Page MJ, Coppleters MW, Ross M, Johnston V, (2016). Rehabilitation following carpai tunnel release. Corbane Database of American Academy of Orthopaedic Surgeons, (2016). Management of carpail tunnel syndrome: evidence-based climical practice guidelines. 2016.		Copyright Jodi Gootkin						




45




Distal Upper Extremity Surgical Management Copyright Jodi Gootkin 2021




44




46










Guyon's Canal Decompression

the ulnar nerve complicate surgery.


Variability in the motor and sensory branches of

50


52




51










Distal Upper Extremity Surgical Management Copyright Jodi Gootkin 2021









Distal Upper Extremity Surgical Management Copyright Jodi Gootkin 2021




56





58












surgery is required to manage vascular or bony injuries, delayed presentation, or when primary repair has failed.
Autogenous tendon graft
Palmaris longus
Plantaris
Extensor digitorum longus


Reconstruction may be necessary when initial


Secondary Tendon Repair


64




Distal Upper Extremity Surgical Management Copyright Jodi Gootkin 2021










Distal Upper Extremity Surgical Management Copyright Jodi Gootkin 2021


Controlled Mobilization Following specific active mobility protocols improves tendon healing biology, limits restrictive adhesions, and leads to increased tendon excursion. Duran Passive finger flexion Kleinert Passive flexion and active extension Early Active Motion (EAM) Active flexion


68




Frigger Finger or Trigger Thumb
Patients present with mechanical impingement "catching" of the finger locking in flexion.
Grade • A1 pain, tenderness
Grade • Catching
I • Locking passively corrected
III
Grade • Contracture
IV









74




75




Distal Upper Extremity Surgical Management Copyright Jodi Gootkin 2021





76















83

Distal Upper Extremity Surgical Management Copyright Jodi Gootkin 2021


Needle Aponeurotomy (NA)

- Through multiple small puncture sites, a needle divides the contracted cords and septal paths between palmar aponeurosis and dermis.
- Active range of motion can begin the day of surgery.
- Custom nighttime splint worn at night for several months may improve outcomes.
- Avoid strenuous gripping for 1 week


82




Procedure	Variables	Outcome			
Collagenase njection	Primary MCP and IP ROM reached 49% at <1yr and 58% at >1yr	Short and medium term satisfactory response. Long term uncertain.			
Needle Fasciotomy	50-58% recurrence 9-25% complication	Similar complication to injection			
Fasciectomy	12-39% recurrence 14-67% complication	More complications than needle but less recurrence			
Sanjuan-Cerveró, R., Vazquez-Ferreiro, P., Gomez-Herrero, D., & Carrera-Hueso, F. J. (2017). Efficacy of collagenase clostrodum histophyclam for dupuytre disease: a systematic review. <i>Revisal Deroamericana de Cirugia de la Mano, 45 (30),</i> 070-888. Chen, N. C., Shrohsan, F. C., Shaver, M. J., & Chang, K., 2017). A systematic review of uncomes of sizoclosmo, a poneurotomy, and collagenase treatments for Dupuytren's contracture. <i>Hand,</i> 6(3), 250-255. Copyright Joid Gestin.					




87





86

88




Rehabilitation Considerations Nerve,


Fascia and Tendon Surgery

Progressive strengthening
 Functional retraining

Initial Post-op
 Splinting
 Wound healing
 Edema management
 Joint protection
 Pain management
 Home exercise
 Later Rehab
 Wean splinting
 Scar mobility
 Protected ROM









Distal Radius Fracture
Low energy trauma in older individuals or high force impact in younger individuals can lead to distal radius fracture.
Physicians attempt to achieve an atomic reduction in stabilizing fracture segments.
Inclination
Dorsal tilt
Radial length

93




95

Distal Upper Extremity Surgical Management Copyright Jodi Gootkin 2021



94






Tight Cast Syndrome


- Closed reduction with casting is the prevailing method of management for distal radius fractures in pediatric cases.
- A poorly applied cast can result in swelling, pain, and potential progression to compartment syndrome and Volkmann's contracture.

 & Cast index value Loss of reduction
 & Cast index value Tight cast syndrome
 Tups A, F.Kus, S., Kock, A., Paysner, L., Cick, A. O., & Kalenderer, D. (2018). Analysis of the factor causing to cast professional and casting of pedantic data inductors. Acta of toppedantic transmission of the factor inductor of the factor causing toppedantic static of the factor inductor of the factor causing toppedantic static of the factor inductor of the factor causing toppedantic static of the factor inductor of the factor causing toppedantic static static of the factor causing toppedantic static toppedantic static static static static static static static static static toppedantic static stati

97




98



99







Immediate Post-op						
Bulky dressing with stabilization followed by suture removal and cast	Weeks 2-6					
	Cast or spica splint Finger and elbow AROM Lifting restriction 1-2 lbs Edema control	Week 8-10	\searrow			
		Wean splinting	Week 10+			
		Scar massage Wrist and thumb A/AAROM Lifting restriction 5	Discharge splint Strengthening Work conditioning			
		lbs	Copyright Jodi G	101 Gootkin 2021		

101


Distal Upper Extremity Surgical Management Copyright Jodi Gootkin 2021



100








Perilunate Post-op

- Approximately 2 weeks following surgery, the post operative splint is replaced with a short arm cast then weaned to a removable splint.
- Monitor for median nerve palsy, fracture nonunion, and Kienbock's Disease.
- Despite early management many patients experience long term stiffness, weakness, osteoarthritis, in latent carpal instability.

105




107

Perilunate Management

- Closed reduction of the carpus followed by direct primary fracture stabilization with K-wire placement and ligament repair.
- When fracture stabilization and open reduction are unsuccessful carpectomy and arthrodesis are necessary.

104



106

Kienbock's Surgery Revascularization surgery utilizes a vascularized graft from an adjacent hand bone or portion of the radius into the location of the deteriorated lunate. Radius or ulnar osteotomy may be indicated to alleviate axial loading forces at the wrist. Proximal row carpectomy or arthrodesis can maintain partial wrist motion and alleviate pain.




Distal Upper Extremity Surgical Management Copyright Jodi Gootkin 2021


Casts and Splints

- Casts may be utilized to rigidly stabilize surgical repair sites.
- Splints utilized for post operative stabilization allow some expandability to accommodate swelling and visualization of the wound.
- Splints wearing schedule can be modified protect the wrist and hand as the patient regains functional use of the hand.




109






113


Distal Upper Extremity Surgical Management Copyright Jodi Gootkin 2021




110




112












Conclusion
Research continues to explore innovative surgical techniques to restore hand kinematics and muscle function following injury.
Understanding the complex hand anatomy will allow clinicians to understand physician protocols and apply rehabilitation techniques to restore functional hands use.

117





118







Distal Upper Extremity Surgical Management Copyright Jodi Gootkin 2021









123




124







Distal Upper Extremity Surgical Management Copyright Jodi Gootkin 2021



- A. Thumb Spica
- B. Ulnar Gutter
- c. Sugar Tong
- D. Radial Gutter






b) 348-337. , Day, M., & Galawell, L. (2015). systematic Review of Toxion Transfer Versus Inver Transfer for the Restoration textoris in Initiating Transmitc Radial Netwo Fabry, JAMOS Gala Research & Perview, 24(4), e0(7). m, D. J., Baumgartner, R. E., Federer, A. E., Richard, M. J., & Mithani, S. K. (2019). Matched Cohort Study of Wound-Healing on, in Patients With and Without Diabetes Netling Linker Thrange Open Carpat Linker Research. Beney Clobal.

Complications in Patients with an environit waves a second second

2616-4 Deskur, A., & Deskur, Z. (2017). SURGICAL TREATMENT AND REHABILITATION OF TRIGGER THUMB AND FINGER. Central European Journal o Sport Sciences and Medicine, 17(1), 61-66. Enrow, J. L., Odoleczu, A., Girouz, M. F., Harris, P. G., & Danino, M. A. (2014). Intra-arterial Thrombolysis for Postoperative Digital

Efanor, J. J., Odobecci, A., Giroux, M. F., Harris, P. G., & Banino, M. A. (2014). Intra-arterial Thrombolysis for rossoperative urguna Ischemia: A.Case Report. Epiasty, 14, e46.
Egro, F. M., Jaring, M. R., & Hhana, A.Z. (2014). Compartment syndrome of the hand: beware of innocuous radius fractures. Epiasty, 14, eAstarsti, M.T., Kowkin, P., & Rijal, L. (2013). Trans-staphid dislocation of the proximal row: a case report. The Pan African medical journal, 15, 16. doi:10.11604/pamj.2013.15.16.2161
Elicina, Inc. (2009). Wound Gouer manala. Retrieved from http://www.upiks.upenn.edu/surgery/Education/facilities/measey/Wound_Closure_Manual.pdf
Constraint Indi Gootito 100


129





Distal Upper Extremity Surgical Management Copyright Jodi Gootkin 2021

Copyright 2021 (c) Innovative Educational Services and Jodi Gootkin. All rights reserved. Reproduction, reuse, or republication of all or any part of this presentation is strictly prohibited without prior written consent of both Innovative Educational Services and Jodi Gootkin



Kenyon, Robert M et al. "Traumatic Isolated Trapezium Dislocation without Fracture: A Case Report and Review of the Literature." Cas reports in orthopedics vol. 2016 (2016): 1798941. doi:10.1155/2016/1798941

130

132


carpat tunnel syndrome: Immediate postoperative evaluation and long-term comparative study. Fiorin, H. J., Tamaoki, M. J., Lenza, M., dos Santos, J. B. G., Falopa, F., et carlos Belioti, J. (2018). Surgery for trigger finger. Cochrane Database of Systematic Reviews, (2). Novak, Christine 8, and Rebecca L von der Heyde. "Rehabilitation of the upper extremity following nerve and tendon reconstruction: when and how." Seminary in plastic surgery vol. 29, (1031): "20, (2015). Surgery for thigger finger, 40(7), 1452-1460. R., et AcClinton, M. A. (2015). Single-stage flexor tendon grafting: refining the steps. The Journal of hand surgery, 40(7), 1452-1460. Flores, L. P. (2011). Distal anterior interosseous nerve transfer to the deep ulnar nerve and end-to-side suture of the superficial ulnar nerve to the third common palmar digital nerve for treatment of high ulnar nerve injuries: experience in five cases. Arquivos de neuro spigularita, 69(3), 519-524. sigulatin, 6(3), 519-524. Tellch, A. M., & Chabaya, A. B. (2007). Secondary flexor tendon reconstruction, a review. The Journal of hand surgery, 32(9), 1436-1442. Saspar, M. P., Kane, P. M., Puthiwara, D., Jacoby, S. M., & Osterman, A. L. (2016). Predicting revision following in situ ulnar nerve decompression for putterist with indepartic cubital tumes flavdrome. The Journal of hand surgery, 1(4), 477-453. decompression for patients with lidipathic cubital tunnel syndrome. The Journal of hand surgery, 41(3), 427-435. Gionnif, F., & Fadau, L. (2012), Treatment for ulara neropathy at the elbow. Cohrane database of systematic reviews, (7). Gionosottis, P. V., Einhorn, T. A., & March, D. (2007). Fracture healings: the diamond concept. Injury, 38, 53-54. Giottis, S., Draght, A., G., Braght, F. (2018). Songraphy of homenplastic Discovers of the Hand and Wrist Tendons. Journal of ultraso tim medicines : official journal of the American Institute of Ultrasound In Medicine, 371, 51-64. Griffin, M. F., Malahas, M., Hindochs, E., & Wastin, S., K. (2014). Suppl 1: peripheral nerve injury: principles for repair and regeneration. The open orthogenetics journal, 8, 19, 000, Suppl 1: peripheral nerve injury: principles for repair and Griffin M. E., Malahas, E., Indocks, J. (2014). Suppl 1: peripheral nerve injury: principles for repair and Griffin M. E., Malahas, E., Hondocks, J. (2014). Suppl 1: peripheral nerve injury: principles for repair and Griffin M. E., Malahas, E., Indocks, J. (2014). Suppl 1: peripheral nerve injury: principles for repair and Griffin M. E., Malahas, E., Indocks, J. (2014). Suppl 1: peripheral nerve injury: principles for repair and Griffin M. E., Malahas, E., Indocks, J. (2014). Suppl 1: peripheral nerve injury: principles for repair and Griffin M. E., Malahas, E., Indocks, J. (2014). Suppl 1: peripheral nerve injury: principles for repair and Griffin M. E., Malahas, E., Indocks, J. (2014). Suppl 1: peripheral nerve injury: principles for repair and Griffin M. E., Malahas, M., Indocks, J. (2014). Suppl 1: peripheral nerve injury: principles for repair and Griffin M. E., Malahas, M., Indocks, J. (2014). Suppl 1: peripheral nerve injury: principles for repair and Griffin M. E., Malahas, J., Indocks, J. (2014). Suppl 1: peripheral nerve injury: principles for repair and Griffin M. E., Malahas, J., Jandocks, J. (2014). Suppl 1: peripheral nerve injury: principles for repair and Suppl 1: p Agenciation: no open subjects Journal (1), 177 (5), 187 (1), 18 orthopaedics journal, 6, 28-35. doi:10.2174/1874232001206010028 formell, D., & Katung, C. P. (2014). Apropheral nerve reconstruction after injury: a review of clinical and experimental therapies. Blokked research International, 2014, 98255. doi:10.1555/2014/98256 Grassla, D., Herk, H., Heyk, H., Hoffmann, P., Klitscher, D., Hoffmann, A., & Rommens, P. M. (2016). Impact of Different Screw Designs on Durability of Facture Fixation: In Vitro Study with Cyclic Loading of Scaphold Bones. PiloS one, 11(1), e0159494. Glugta, P., Lenchik, L., Wuertzer, S.D., & Pacholke, D. A. (2015), High-resolution 37 MRI of the fingers: review of anatomy and common medion and Isgament Injuries. American Journal of Romtgeology, 20(4), N914-V422. Krowst Mergelinker, mei der Annehmen sonnale in Keingerichten und eine Annehmen auf der Annehmen auf dere Karakaplan, M., Ertem, K., Canbay, A., Aslantlirk, O., & Yoloğlu, S. (2019). One portal endoscopic release of the first extensor compartment in de Quervain's disease. Acta orthopaedica et traumatologica turcica, 53(1), 40-44.

Copyright Jodi Gor

Copyright Jodi Gootkin 2021

aour-Martin, O., Martin Ferrero, M. Á., Valverde Garcia, J. A., Zuil-Acosta, P., & Amigo-Liñares, L. (2014). The simonetta aroal tunnel syndrome: Immediate postoperative evaluation and Ione-term comparative study.

128



Distal Upper Extremity Surgical Management Copyright Jodi Gootkin 2021

Copyright 2021 (c) Innovative Educational Services and Jodi Gootkin. All rights reserved. Reproduction, reuse, or republication of all or any part of this presentation is strictly prohibited without prior written consent of both Innovative Educational Services and Jodi Gootkin

135

Copyright Jodi Go

Sady Pri, Notee 3, Sa bill 54, Ander 5, Ander 148 P., Badhali M., et al. (2015) Edity Plat. Unit Productive Ready OL Data (2015) Edity Plat. Unit Plat. Data Plat. Plat. 2015) Edity Plat. Unit Plat. Data Plat. Plat. 2015) Edity Plat. Data Plat. Plat. 2015) Edity Plat. Data Plat. 2015) Edity Plat. 2015) E

Seal, A., Tao, R., Wehrli, B., Hammond, A., & Tomple, C. L. (2005). Sentinel node biopsy as an adjunct to limb alwage argeny for epitheliolid surcoma of the hand. World journal of angleal nonclogy, J. 41. doi:10.1186/1477.2105-1-41 Shah, D.S., Middeno, C., Gurdez, S., Howitz, M. D., & Kedgey, A. E. (2017). The effects of write motion and hand orientation on muscle forces: a physiologic writt simulator study. Journal of biomechanics, 60, 212-237. The study of the study. J. S., Middeno, C., Gurdez, S., Howitz, M. D., & Kedgey, A. E. (2017). The importance of abductor policic longus in writt motors: A physiological writt simulator study. Journal of biomechanics, 77, 218-222. Shah, D.S., Middeno, C.A., Gurdez, S., Howitz, M. D., & Kedgey, A. E. (2018). Alterations to wrist tendon forces following flexor carpl Sanitatadeh, H., B. Moheun, M. M. (2017). Incidence of Complex Regional Pain Syndrome Following the Carpal Tunnel Release Stravers, Shafe Ortopedic Journal, 4(4). Smart, K. W., Wand, B. & (2007). In Citoene 20, Spectra Stravers, Shafe Ortopedic Journal, 4(4). Stanton, T. R., Wand, B. & (2007). In Citoene Database of Syndrautic Review of physiotherapy for pain and disability in adults with Complex Regional Ban Syndrome (Citoene Database of Syndrautic Review), 42(1), 107-101. Incidence dissociation on human wrist kinematics. Journal of Hand Surgery (European Volume), 42(2), 179-186. Volumek, H., (2018). Inspace of closenhand and wrist inpuries rapid review series. Emergency Medicine Australated Study Figure 1, 2015 Just Figure 1, 2015 Just Figure 1, 2015 Just Figure 1, 2015 Just Figure 2, 2018 Just Figure 2, 2018 Contal and wrist inpuries rapid review States. The Study Study Fig. (2016): Schaffer 5.0, Marchine Banamon M, et al. (2015) Starff schaffer 3, Australation 3, 4 and Parater World 1, 197-197. Just Figure 2, 2015 Just Figure 1, 2015 J

133

2, 94-100.
Ohamura, J.A., Guidetti, B. C., Caselli, R., Borracini, J. A., MORAES, Y. Y. D., & Belioti, J. C. (2018). How do board-certified hand surgeons manage carpal tumel syndrome? a national survey. Acta ortopedica brandleria, 26(1), 48-33.
Olaughin, S. J. 20(10). Kenibickić dause. Journal of Orthungedic & Sport Physical Therapy, 40(6), 376-376.
Ortawin, M. S., Basati, S. O., Kayadhi, T., Karahangt, M., & Akan, I. M. (2013). Atraamatic Flexor tendon retirval-a simple method. Annals Parkids, L., Collatio, B. E., Dennir, J. E., Di Dintricu, C. G. (2010). The effect on transvers carpal lignment lengthening on carpal tumel volumetry: a comparison between four techniques. Annals of plastic useryo, 65(5), 480-484.
Peters S., Page M., Coppieters M.W., Bosk. J.Moston OV. (2016). Rehabilitation following carpal tumel release. Corhane Database of Systematic Reviews 2016, Issue 2. Art. No.: CD000158. D01: 10.1002/1455158.CD004158.publ.3. ws, (1).

Low, N., Faby, E. T., Frisken, J., E. Mann, N. (2015). An alternate graft for staged flexor tendor reconstruction. Hand (New York, N.Y.), 10(1), 152-154. doi:10.1007/s11532-013-9389-3
 Matullo, K. S., Ilyas, A., E. Thoder, J. J. (2007). CMC arthroplasty of the thumb: a review. Hand, 2(4), 232-239. MCCod, L., Kito, M., Guo, D., & Bou, D., 2017). A review of advances in capatitumel release: Medrano, B. G., Aguado, H. J., Smön, C., & Ferrero, M. A. M. (2016). Topa and Tricks in Perlinate Carpal Facture-Dislocations. Methads, S. V., & Eduano, H. L., W. (2019). Comparison of advances in capatitumel release: Medrano, B. G., Aguado, H. J., Smön, C., & Ferrero, M. A. M. (2016). Topa and citose thand fractures and beefficst of urgent coperative Mines, S. V., & Eduano, H. L., W. (2019). Comparison of advances in carpatitumel release: Medrano, S. V., & Eduano, H. L., W. (2019). Comparison of advances in capatitumel release: Medrano, H. C., M. (2016). Comparison of advances in capatitumel release of the athlete. Current reviews in mucculcokeetal medicine, 10(1), 45-92.
 Muller, T., Diaz, J. H., Pite, E., Prunières, G., Facca, S., & Liverneaux, P. (2017). Treatment of acute perliamate dislocations: CMP versus profinad nov carpotectomy. Orthopaetics Estimatiano, 2015, estadoscogic Carpal Tunner, Resease J., N. 11, 110-110, 186/ 1749-7221-311.
 Mubako, P. C., Shamazon, K., Landon, J. B., Birman, M., R. (2005). Endoscogic Carpal Tunner, Resease J., N. 11, 110-110, 186/ 1749-7221-311.
 Nobacko, P. C., Shamazon, K., Handon, J. B., Birman, M., R. (2007). Marchaeota cambrid mode materiation estadomic to data undertained flow on mucculcokeetal models can be used to predict moment ams and guide experimental design. PloS one, 11(6), 0457346.
 Nobacko, P. C., Shamazon, K., Handon, J. B., Birman, M., R. (2007). Hort policity for advanced capability and the data staddard and holdes of a hort policity antrelease and and and and the staddard solution for severe tool

134

136

Copyright Jodi Go

ory, n. 2.-in Reaching, 5.21, (2017), Reinagement to interve gaps, autogaris, autogaris, here or landers, and etro-usate recordination, Money, S. J., Osciela, S. D., Beerse, F. J., Negelaeris, S. A., Schliper, I. B. (2011). Current methods of diagnosis and treatment of scaphol fractures. International Journal of emergency medicine, 4.4. doi:10.1186/1865-1380-44 (3642, F. F., B. Bekker, T. (2018). The propherative patient experience of hand and writs surgical patients: An exploratory study using satient Journey mapping. Patient Experience Journal, 5(3), 97-107.

Peters, S., Johnston, V., Hines, S., Ross, M., & Coppieters, M. (2016). Prognostic factors for return-to-work following surgery for carpal turnel syndrome: a systematic review. BId database of systematic reviews and implementation reports, 14(9), 135-216. Pinho, A. B., & Sobania, R. L. (2017). Perilunate carpal distaction. Clinical evaluation of patients operated with reduction and percutaneous fination without capsular-ligament repair. Revista Brasileria de Ottopedia (English Edition), 52(4), 402-409. Pywell, M. J., Wordworth, M., Kwaanide, R. M., Chadha, P., Hettinastriby, S., Halsey, T. (2018). The effect of detection ic diparteties on hand microcruciation. The Journal of hand surgery, 43(5), 422-438. Nary, S.K., B.C., F., Paul, S.K., Hechtis, R.N., & Wole, S.W. (2016). Nonspanning Total Wrist Arthrodesis with a Low-Profile Locking Pasery, M. J., dorshino, pp. 27, 127-132. Neuroimental neuroneous (21011) 270. Nanagement of nerve gaps: autografts, allografts, nerve transfers, and end-to-side neurorhaphy. Environmental neuroneous (21011) 270.

