

# Movement Disorders: Clinical Presentation and Rehabilitation Considerations

**Jodi Gootkin, PT, MED, CEAS**  
jodiemail@comcast.net

Copyright Jodi Gootkin 2023

1

## Course Overview

- “Movement Disorders: Clinical Presentation and Rehabilitation Considerations” is a webinar for rehabilitation professionals that presents contemporary information about conditions associated with extrapyramidal dysfunction. Topics include ataxia and various dyskinesias, including Parkinson’s disease and Huntington’s disease. This course includes discussion of pathogenesis, clinical presentation, and rehabilitation considerations for patients with these conditions.

Copyright Jodi Gootkin 2023

2

## Course Rationale

- The purpose of this course is to provide participants with contemporary information about movement disorders. Rehabilitation professionals can use this information when implementing their treatment programs to address the specific needs of individuals effected by these conditions.

Copyright Jodi Gootkin 2023

3

## Goals and Objectives

1. Define the classifications of movement disorders.
2. Distinguish movement patterns associated with extrapyramidal system dysfunction.
3. Identify the pathogenesis for specific movement disorders.
4. Recognize the clinical presentation of specific movement disorders.
5. Identify disease specific assessment tools.
6. Identify therapeutic considerations when developing rehabilitation programs for patients with movement disorders.
7. Describe the role and benefits of exercise in managing movement disorders.
8. Distinguish Parkinson’s disease and parkinsonism conditions.
9. Describe cognitive and sensory cueing strategies to enhance motor planning.
10. Identify surgical procedures to manage Parkinson’s disease.

Copyright Jodi Gootkin 2023


4

## Disclaimer

- Application of concepts presented in this webinar is at the discretion of the individual participant in accordance with federal, state, and professional regulations.
- No conflict of interest exists for the presenter or provider of this course.

Copyright Jodi Gootkin 2023

5



Topic	Time
Extrapyramidal System Function	0:00-0:10
Characteristics of Movement Disorders	0:11-0:20
Movement Disorder Classifications	0:21-0:30
Tardive Dyskinesia	0:31-0:40
Parkinson’s Disease Pathogenesis	0:41-0:50
<b>Interactive Discussion of Clinical Applications</b>	0:51-0:60
Clinical Presentation	1:00-1:15
Rehabilitation Considerations	1:16-1:40
Surgical Management	1:41-1:45
Future Advances	1:46-1:50
<b>Interactive Discussion of Clinical Applications</b>	1:51-2:00
Early-Onset Parkinson’s Disease	2:01-2:05
Levodopa-Induced Dyskinesia	2:06-2:10
Parkinsonism Disorders	2:11-2:20
Huntington’s Disease	2:21-2:35
Friedreich’s Ataxia	2:36-2:50
<b>Interactive Discussion of Clinical Applications</b>	2:51-3:00

Copyright Jodi Gootkin 2023

6

# Movement Disorders: Clinical Presentation and Rehabilitation Considerations

7

### Control of Movement

- Movement is regulated through complex relationships in the pyramidal and extrapyramidal systems.
- The pyramidal system controls voluntary movement.
- The extrapyramidal system controls automatic movement.

Copyright Jodi Gootkin 2023

9

### Executing Movement

Strategy	Tactics	Execution
Goal of movement and plan	Sequence of contractions and timing	Activation of neurons for motion
Neocortex Basal Ganglia	Motor Cortex Cerebellum	Brainstem Spinal Cord
Initiate, facilitate, inhibit motor response	Error correction rate, rhythm, force	Somatosensory feedback
Tone and posture	Tone, posture and balance	Muscle firing
Automaticity		


Copyright Jodi Gootkin 2023

11

### Course Post Test

- Slides with "Consider This" icon in bottom right corner will be helpful in completing the post-test.

Copyright Jodi Gootkin 2023



8

### Extrapyramidal System

- Composed of the basal ganglia, substantia nigra, thalamus and red nucleus with synaptic connections to the brainstem, cerebellum and pyramidal system.
- Regulates involuntary and automatic movements.

Copyright Jodi Gootkin 2023

10

### Emerging Functions

- In addition to their role in motor function, contemporary research recognizes the role of the cerebellum and basal ganglia in cognition and emotion.
- Dysmetria of thought
- Emotion recognition
- Decision-making
- Working memory
- Spatial attention
- Reward- and error-based learning


Pierce, J. E., & Péron, J. (2020). The basal ganglia and the cerebellum in human emotion. *Social Cognitive and Affective Neuroscience*, 15(5), 599-613.

Habas, C. (2021). Functional Connectivity of the Cognitive Cerebellum. *Frontiers in Systems Neuroscience*, 15, 27. Mitoma, H., Manto, M., & Gandini, J. (2020). Recent advances in the treatment of cerebellar disorders. *Brain Sciences*, 10(1), 11.

Copyright Jodi Gootkin 2023

12

# Movement Disorders: Clinical Presentation and Rehabilitation Considerations




13

- ### Cerebellar Characteristics
- Ataxia
  - Dysdiadochokinesia
  - Dysmetria
  - Titubation
  - Hypotonia
  - Tremor
- Copyright Jodi Gootkin 2023

14

- ### Basal Ganglia Characteristics
- Bradykinesia
  - Hyperkinesia
  - Athetosis
  - Chorea
  - Dystonia
  - Rigidity
  - Tremor
- Copyright Jodi Gootkin 2023


15



16


- ### Movement Disorders
- Hypokinetic
    - Parkinson's Disease (PD)
    - Early-Onset Parkinson's Disease
    - Parkinsonism Disorders
  - Hyperkinetic
    - Tardive Dyskinesia (TD)
    - Levodopa-Induced Dyskinesia
    - Huntington's Disease (HD)
  - Ataxic
    - Friedreich's Ataxia (FA)
- Copyright Jodi Gootkin 2023

17


- ### Tardive Dyskinesia (TD)
- Individuals with long-term use of medications to manage schizophrenia, other mental health conditions, and certain gastrointestinal disorders may develop this hyperkinetic movement disorder.
- Antipsychotics
    - Schizophrenia, schizoaffective disorder, mood and bipolar disorder
  - Antidepressants
    - Depression
  - Antiemetics
    - Gastroparesis
  - Other Medications
    - Parkinson's Disease
    - Epilepsy
- Copyright Jodi Gootkin 2023
- 

18


## Movement Disorders: Clinical Presentation and Rehabilitation Considerations




19




20




21



22



23




24

# Movement Disorders: Clinical Presentation and Rehabilitation Considerations

Copyright 2023 (c) Innovative Educational Services and Jodi Gootkin. All rights reserved. Reproduction, reuse, or republication of all or any part of this presentation is strictly prohibited without prior written consent of both Innovative Educational Services and Jodi Gootkin.

## Braak's Hypothesis

- Theory proposing the olfactory bulb and enteric nervous system are the initial location of Lewy body pathology.



Copyright Jodi Gootkin 2023  
Braak, H., & Del Tredici, K. (2017). Neuropathological staging of brain pathology in sporadic Parkinson's disease: separating the wheat from the chaff. *Journal of Parkinson's disease*, 7(1), S71-S85.

25

## PD Clinical Presentation

- Bradykinesia - sialorrhea
- Hypokinesia – micrographia
- Rigidity
- Resting tremor
- Facial masking
- Festinating
- Freezing of gait (FOG)
- Hypophonia, dysarthria, dysphagia
- Non-motor features

26

## DaTscan

- Assists in distinguishing PD from essential tremor.
- Loss of nigrostriatal dopaminergic projections results in reduced uptake of radiotracer which is evident on SPECT scanning.

Copyright Jodi Gootkin 2023

27

## PD Hoehn and Yahr Scale

- 1 Unilateral involvement only
- 1.5 Unilateral and axial involvement
- 2 Bilateral involvement without impairment of balance
- 2.5 Mild bilateral disease with recovery on pull test
- 3 Mild to moderate bilateral disease; some postural instability; physically independent
- 4 Severe disability; still able to walk or stand unassisted
- 5 Bedridden or wheelchair bound unless assisted

Consider This

Copyright Jodi Gootkin 2023

28

## PD Non-motor Features

Gastrointestinal	Constipation
Sensory	Hyposmia, decreased kinesthetic awareness, pain
Cognition Behavior	Dementia, depression, reward signaling, memory, decision making
Sleep	Somnolence, insomnia, fatigue
Cardiovascular	Orthostatic hypotension, blunted exercise response
Vision	Contrast, color, emotional recognition, hallucinations
Urogenital	Urinary urgency, frequency, nocturia
Autonomic	Hyperhidrosis

Copyright Jodi Gootkin 2023

29

## PD Assessment Tools

- Timed Up and Go (TUG) Cognitive and Motor
- Movement Disorders Society - Modified Unified Parkinson's Disease Rating Scale (MDS-UPDRS)
- Parkinson's Disease Questionnaire (PDQ-39)
- Montreal Cognitive Assessment (MoCA)
- Motor Assessment Technology

Copyright Jodi Gootkin 2023

30

# Movement Disorders: Clinical Presentation and Rehabilitation Considerations

Copyright 2023 (c) Innovative Educational Services and Jodi Gootkin. All rights reserved.  
Reproduction, reuse, or republication of all or any part of this presentation is strictly prohibited  
without prior written consent of both Innovative Educational Services and Jodi Gootkin.

### Movement Disorders Society - Modified Unified Parkinson's Disease Rating Scale (MDS-UPDRS)


- Part I: Non-Motor Experiences of Daily Living
- Part II: Motor Experiences of Daily Living
- Part III: Motor Examination
- Part IV: Motor Complications
- Part V: Modified Hoehn and Yahr Staging
- Part VI: Modified Schwab and England Activities on Daily Living Scale



31

### Parkinson's Disease Questionnaire (PDQ-39)


- Assesses frequency of difficulties with activities of daily living.



32

### Montreal Cognitive Assessment (MoCA)

- A rapid screening instrument for mild cognitive impairment.



33


### Motor Assessment Technology

- Wearable devices are emerging to assess activities of daily living performance and mobility outside the clinic.

Device	Outcome
APDM Mobility Lab	Correlated to UPDRS postural instability and gait disability
Physilog GaitUp	High gait accuracy and specificity detecting posture
Axivity AX3	Sensitive to asymmetry and gait variability

34

### PD Exercise Benefits



35

### PD Specific Interventions


- Aerobic conditioning – moderate to high intensity
- Resistance training – progressive
- Balance training – traditional, technology and aquatic
- Gait training – Body Weight Support Treadmill Training (BWSTT)
- Task-Specific training
- Community based training

Intervention	Outcome
Resistance training with and without instability	Instability group decreased TUG and UPDRS-III score, improved cognition and QoL scores.


36

# Movement Disorders: Clinical Presentation and Rehabilitation Considerations


Copyright 2023 (c) Innovative Educational Services and Jodi Gootkin. All rights reserved. Reproduction, reuse, or republication of all or any part of this presentation is strictly prohibited without prior written consent of both Innovative Educational Services and Jodi Gootkin.




37




38




39



40



41




42

# Movement Disorders: Clinical Presentation and Rehabilitation Considerations

Copyright 2023 (c) Innovative Educational Services and Jodi Gootkin. All rights reserved. Reproduction, reuse, or republication of all or any part of this presentation is strictly prohibited without prior written consent of both Innovative Educational Services and Jodi Gootkin.

## Dual Task Performance

- Simultaneous performance of two tasks with distinct goals challenges cognitive resources influencing performance.
- Individuals with PD tend to adopt a “posture second” strategy contributing to risk of falls.




Bloem, B. et al. (2006). The “posture second” strategy: a review of wrong priorities in Parkinson’s disease. *Journal of the neurological sciences*, 248(1-2), 196-204.  
 Strouwen, C. et al. (2015). Dual tasking in Parkinson’s disease: should we train hazardous behavior?. *Expert review of neurotherapeutics*, 15(9), 1031-1039.

Copyright Jodi Gootkin 2023

43

## Dual Task Training

- Integrated or consecutive activities.
- Decreasing dual task requirements may facilitate performance of certain functional activities.



Geroin, C. et al. (2018). Does dual-task training improve spatiotemporal gait parameters in Parkinson’s disease?. *Parkinsonism & related disorders*, 55, 86-91.  
 Strouwen, C. et al. (2017). Training dual tasks together or apart in Parkinson’s disease: results from the DUALITY trial. *Movement Disorders*, 32(8), 1201-1210.

44

## PD Freezing of Gait (FOG)

- Inability to progress forward despite the intention to walk.
- Occurs more frequently when initiating gait, during gait transitions, with increased anxiety and dual tasking.
- New Freezing of Gait Questionnaire (N-FOGQ)



Copyright Jodi Gootkin 2023

45

## FOG Interventions


- Cueing: laser pointer, metronome, music
- Resistance training with instability: greater middle/inferior temporal gyrus activation and amplitude of anticipatory postural adjustments
- Equipment: Laser and sound cueing assistive devices, wearable on-demand cueing devices



Gilat, M., de Lima, A. L. S., Bloem, B. R., Shine, J. M., Nonnekies, J., & Lewis, S. J. (2018). Freezing of gait: promising avenues for future treatment. *Parkinsonism & related disorders*, 52, 7-16.  
 Silva-Balasta, C., et al. (2020). A randomized, controlled trial of exercise for parkinsonian individuals with freezing of gait. *Movement Disorders*, 35(9), 1607-1617.

46

## FOG Patient Education




International Parkinson and movement Disorder Society. Gait disturbances and freezing in Parkinson’s disease. <https://www.movementdisorders.org/MDS/Resources/Patient-Education/Gait-Disturbances-and-Freezing-in-Parkinsons-Disease.htm>

Copyright Jodi Gootkin 2023

47

## Deep Brain Stimulation (DBS)

- Goal is to change firing pattern to reduce motor symptoms not slow progression of neurodegeneration or manage cognitive decline.
- Most individuals can reduce medication use.



Copyright Jodi Gootkin 2023

48


# Movement Disorders: Clinical Presentation and Rehabilitation Considerations

Copyright 2023 (c) Innovative Educational Services and Jodi Gootkin. All rights reserved.  
 Reproduction, reuse, or republication of all or any part of this presentation is strictly prohibited  
 without prior written consent of both Innovative Educational Services and Jodi Gootkin.



### DBS Mechanism of Action

- Subthalamic nucleus may provide more medication reduction.
- Globus Pallidus may be safer for language and cognition.



Muthuraman, M., et al. (2018). Deep brain stimulation and L-DOPA therapy: concepts of action and clinical applications in Parkinson's disease. *Frontiers in neurology*, 9, 711.

49

### Levodopa-Carbidopa Intestinal Gel

- Intrajejunal administration through a percutaneous pump allowing constant plasma level of levodopa.


Intervention	Outcome
Intrajejunal vs. oral medications	Intrajejunal improved motor/non-motor symptoms, less dyskinesia and "on/off"

Popa, L., et al. (2020). Intrajejunal vs oral levodopa-carbidopa therapy in Parkinson disease: A retrospective cohort study. *Medicine*, 99(46).

50

### PD Future Technology

- 3D gait analysis correlation to MDS-UPDRS
- Virtual reality games
- Biosensors




Lu, M., et al. (2020, October). Vision-based Estimation of MDS-UPDRS Gait Scores for Assessing Parkinson's Disease Motor Severity. In *International Conference on Medical Image Computing and Computer-Assisted Intervention* (pp. 637-647). Springer, Cham.

Finley, J., et al. (2021). Design and Development of a Virtual Reality-Based Mobility Training Game for People With Parkinson's Disease. *Frontiers in neurology*, 11, 577213.

51

### Early Onset Parkinson's Disease (EOPD)

- Compared to later onset PD, slower disease progression and more severe dopaminergic system damage.




Yue, Y., Jiang, Y., Shen, T., Pu, J., Lai, H. Y., & Zhang, B. (2020). ALFF and ReHo Mapping Reveals Different Functional Patterns in Early- and Late-Onset Parkinson's Disease. *Frontiers in Neuroscience*, 14, 141.

52

### Impulse Control Behaviors

- Individuals with EOPD may demonstrate greater challenges with impulse control compared to those with later onset PD
- Risk of development is increased with use of dopamine agonists.




Vela, L., Castrillo, J. M., Ruiz, P. G., Gasca-Salas, C., Macías, Y. M., Fernández, E. P., ... & Mata, M. (2016). The high prevalence of impulse control behaviors in patients with early-onset Parkinson's disease: a cross-sectional multicenter study. *Journal of the Neurological Sciences*, 368, 150-154.

53

### Levodopa Induced Dyskinesia (LID)


- Common side effect from long-term treatment with levodopa.
- NOT the same as "off" time.



54

## Movement Disorders: Clinical Presentation and Rehabilitation Considerations

Copyright 2023 (c) Innovative Educational Services and Jodi Gootkin. All rights reserved. Reproduction, reuse, or republication of all or any part of this presentation is strictly prohibited without prior written consent of both Innovative Educational Services and Jodi Gootkin.



55

- ### Atypical Parkinsonism – Identifiable Cause
- Drug Induced Parkinsonism (DIP)
    - Certain neuroleptics, antiemetics, antihypertensives
    - NOT the same as Tardive Dyskinesia
  - Trauma
    - Repeated brain injury
  - Metabolic disease
    - Wilson's Disease
  - Toxins
    - Certain pesticides, manganese, MPTP
- Copyright Jodi Gootkin 2023


56

- ### Atypical Parkinsonism Clinical Presentation
- Hallmark PD bradykinesia
  - No tremor
  - Symmetrical symptoms
  - Lack of response to anti-Parkinson's medications
  - Deep brain stimulation of no value
- Consider This**
- Copyright Jodi Gootkin 2023


57

- ### Parkinson's-Plus Syndrome
- Atypical Parkinsonism presentation and other symptoms.
    - Dementia with Lewy Bodies (DLB)**  
Early cognitive difficulties and visual hallucinations
    - Multiple System Atrophy (MSA)**  
Rapid symptom progression, earlier postural changes, dysphagia and dysarthria, more severe autonomic changes
    - Progressive Supranuclear Palsy (PSP)**  
Impaired ocular motion, early balance deficits and falls, prominent facial folds
    - Corticobasal Ganglionic Degeneration (CBGD)**  
Asymmetrical dystonia, myoclonus, and apraxia
- Copyright Jodi Gootkin 2023

58



59



60

## Movement Disorders: Clinical Presentation and Rehabilitation Considerations

## HD Clinical Presentation

- Motor
  - Choreiform movements, incoordination, dysarthria, dysphagia, rigidity, bradykinesia
  - Juvenile – dystonia, tremors, myoclonus, rigidity
- Cognitive
  - Impaired attention and visuospatial functions, slowed processing speed, anosognosia, memory
  - Juvenile – impaired thinking and reasoning, seizures
- Behavioral and Psychiatric
  - Depression, anxiety, aggression, apathy, anger, fear, irritability
  - Juvenile – aggressive behavior

Stahl, C. M., & Feigin, A. (2020). Medical, Surgical, and Genetic Treatment of Huntington Disease. *Neurologic Clinics*, 38(2), 367-378.

61

## HD Emotional Processing and Social Cognition

- Theory of Mind (ToM) is the ability to make inferences about other's emotions, beliefs, feelings and perspectives of others.
- Ability to interact effectively in social situations may be impaired due to
  - Compromised empathy ability
  - Difficulty discriminating social emotional stimuli out of context
  - Limited negative emotion recognition
- Makes it difficult to recognize socially appropriate behavior


Snowden, J. S. (2017). The neuropsychology of Huntington's disease. *Archives of Clinical Neuropsychology*, 32(7), 876-887.  
Pick, E., Kleinbub, J. R., Mannarini, S., & Palmieri, A. (2019). Empathy in Neurodegenerative Diseases: A Systematic Review. *Neuropsychiatric disease and treatment*, 15, 3287-3304.



62

## HD Assessment Tool

Unified Huntington's Disease Rating Scale (UHDRSTM)



Mestre, T., et al. (2018). Rating scales and performance-based measures for assessment of functional ability in Huntington's disease: critique and recommendations. *Movement disorders clinical practice*, 5(4), 361-372.

63

## HD Clinical Course and Interventions

- Late Stage**
  - Rigidity, bradykinesia, severe chorea, anarthria
  - Caregiver training, supportive equipment
- Middle Stage**
  - Dystonia, chorea, weakness, dysarthria, dysphagia, thinking and memory impairment
  - Gait training, balance, fall management, ADLs, adaptive equipment, positioning, seating, respiratory training
- Early Stage**
  - Chorea, bradykinesia, balance, depression
  - Aerobic exercise, strengthening, postural control, work restructuring, task specific training

Quinn, L., et al. (2020). Clinical recommendations to guide physical therapy practice for Huntington disease. *Neurology*, 94(5), 217-228.  
Fritz, N., et al. (2017). Physical Therapy and Exercise Interventions in Huntington's Disease: A Mixed Methods Systematic Review. *Journal of Huntington's disease*, 6(3), 217-235.

64

## HD Rehabilitation Considerations

- Therapy and exercise participation can promote self-confidence and independence, socialization and relationships.
- Wheelchair evaluation, seating, mobility training
- Attentional strategies and sensory stimulation
- Dual-task training and chaining
- Challenges with motivation, mood, memory and socially appropriate behavior

Fritz, N., et al. (2017). Physical Therapy and Exercise Interventions in Huntington's Disease: A Mixed Methods Systematic Review. *Journal of Huntington's disease*, 6(3), 217-235.

65


## Friedreich Ataxia (FRDA)

- Autosomal recessive disease causing progressive neurodegeneration and impaired muscle coordination.
- Begins in early childhood worsening with age and shortening life expectancy.

66

# Movement Disorders: Clinical Presentation and Rehabilitation Considerations

Copyright 2023 (c) Innovative Educational Services and Jodi Gootkin. All rights reserved.  
Reproduction, reuse, or republication of all or any part of this presentation is strictly prohibited without prior written consent of both Innovative Educational Services and Jodi Gootkin.



67

### FRDA Clinical Presentation

- Ataxia
- Dysarthria, dysphagia, scanning speech
- Spasticity, weakness, sensory impairment, decreased reflexes, scoliosis, foot deformities
- Heart disease and diabetes
- Hearing and vision deficits

Copyright Jodi Gootkin 2023

**Consider This**

68

### FRDA Assessment Tool

- Friedreich Ataxia Rating Scale (FARS)
- Functional staging of ataxia
- Activities of daily living
- Neurological examination
- Instrumental testing

Copyright Jodi Gootkin 2023

69

### FRDA Rehabilitation Considerations

- Prolong independence, reduce falls, address fatigue
- Low-intensity and Frenkel's exercise
- Wheelchair prescription, orthotics, foot deformity surgery
- Vestibular, vision, and auditory testing
- School, work, home, and activities of daily living modifications, socialization, support system

Oleszek, J and Wyrwa, J. (2019) Friedreich's ataxia. *PM&R Now* <https://now.aspmr.org/friedreichs-ataxia/>  
 Maudoux, A., et al. (2020). Vestibular impact of Friedreich ataxia in early onset patients. *Cerebellum & Ataxias*, 7, 1-12.

Copyright Jodi Gootkin 2023

70

### Conclusion

- Reviewing contemporary research on disease pathogenesis, clinical presentation, and progression prepares the clinician to develop comprehensive rehabilitation programs to address the diverse needs of individuals with movement disorders.

Copyright Jodi Gootkin 2023

71

### 1. Which of the following is not a characteristic of cerebellar damage?

- Ataxia
- Dysmetria
- Dysdiadochokinesia
- Spasticity

Copyright Jodi Gootkin 2023

72

# Movement Disorders: Clinical Presentation and Rehabilitation Considerations

---

2. Long-term use of antipsychotic medications may lead to the development of what hyperkinetic movement disorder?

- A. Tardive dyskinesia
- B. Lewy body disease
- C. Friedreich's ataxia
- D. Medication induced chorea

Copyright Jodi Gootkin 2023

73

---

3. An individual with Parkinson's disease who is physically independent, demonstrates postural instability and mild bilateral disease would be classified at what Hoehn and Yahr stage?

- A. Stage 5
- B. Stage 3
- C. Stage 2.5
- D. Stage 1

Copyright Jodi Gootkin 2023

74

---

4. Which of the following is not part of the Movement Disorders Society Modified Unified Parkinson's Disease Rating Scale (MDS-UPDRS)?

- A. Motor complications
- B. Nutritional status
- C. Non-motor experiences of daily living
- D. Motor experiences of daily living

Copyright Jodi Gootkin 2023

75

---

5. Which of the following is an example of an intrinsic cueing technique to reduce reliance on dysfunctional learned movement systems?

- A. Cue cards
- B. Metronome
- C. Emotional set
- D. Floor markers

Copyright Jodi Gootkin 2023

76

---

6. What is the desired surgical outcome of a deep brain stimulator for an individual with Parkinson's disease?

- A. Eliminate need for medication
- B. Slow neurodegeneration
- C. Reverse cognitive decline
- D. Reduce motor symptoms

Copyright Jodi Gootkin 2023

77

---

7. An individual presenting with bradykinesia, symmetrical symptoms, and lack of response to levodopa would be evaluated for what condition?

- A. Parkinson's disease
- B. Huntington's disease
- C. Atypical Parkinsonism
- D. Friedreich's ataxia

Copyright Jodi Gootkin 2023

78

## Movement Disorders: Clinical Presentation and Rehabilitation Considerations

---

8. What neurodegenerative condition initially evidenced in midlife is characterized by involuntary dance-like movement patterns and impaired voluntary movement?

- A. Huntington's disease
- B. Early-onset Parkinson's disease
- C. Myoclonus dystonia
- D. Mixed mode dyskinesia disorder

Copyright Jodi Gootkin 2023

79

---

9. How does Theory of Mind (ToM) impairment affect individuals with neurodegenerative disease?

- A. More frequent hyperkinetic movements
- B. Difficulty recognizing socially appropriate behavior
- C. Slow motor planning
- D. Prolonged episodes of sleep disturbance

Copyright Jodi Gootkin 2023

80

---

10. Which of the following is NOT part of the clinical presentation for an individual with Friedreich's ataxia?

- A. Dysarthria
- B. Scanning speech
- C. Dysphasia
- D. Dysphagia

Copyright Jodi Gootkin 2023

81

# Movement Disorders: Clinical Presentation and Rehabilitation Considerations

## References

- Abraham, A., Duncan, R. P., & Earhart, G. M. (2021). The Role of Mental Imagery in Parkinson's Disease Rehabilitation. *Brain sciences*, 11(2), 185.
- Adamaszek, M., D'Agata, F., Ferrucci, R. et al. (2016). Consensus Paper: Cerebellum and Emotion. *Cerebellum* 16, 552–576 .
- Adjeroud, N., Besnard, J., Massioui, N. E., Verny, C., Prudean, A., Scherer, C., ... & Allain, P. (2016). Theory of mind and empathy in preclinical and clinical Huntington's disease. *Social Cognitive and Affective Neuroscience*, 11(1), 89-99.
- Alcantara, A., Berenji, G. R., Scherling, C. S., Durcanova, B., Diaz-Aguilar, D., & Silverman, D. H. (2019). Long-Term Clinical and Neuronuclear Imaging Sequelae of Cancer Therapy, Trauma, and Brain Injury. *Journal of Nuclear Medicine*, 60(12), 1682-1690.
- American Association of Neurologic Surgeons. (2020). Movement Disorders – Classifications, Symptoms and Treatments. Retrieved 28 November 2020, from <https://www.aans.org/en/Patients/Neurosurgical-Conditions-and-Treatments/Movement-Disorders>
- Antonini, A. and Merello, M.(2019). Parkinson's disease and parkinsonism. International Parkinson and Movement Disorder Society. [Internet] Accessed November 17, 2020 <https://www.movementdisorders.org/MDS/About/Movement-Disorder-Overviews/Parkinsons-Disease--Parkinsonism.htm>
- Aragon, A and Kings, J. (2018). Occupational therapy for people with Parkinson's: 2nd edition. Royal College of Occupational Therapists. <https://www.rcot.co.uk/file/2806/download?token=hqe17blb> Accessed July 1, 2021
- Atlas, S. J., Agboola, F., & Curfman, G. (2018). Effectiveness and value of 2 novel treatments for tardive dyskinesia. *JAMA internal medicine*, 178(8), 1110-1112.
- Baez, S., Herrera, E., Gershanik, O., Garcia, A. M., Bocanegra, Y., Kargieman, L., ... & Ibanez, A. (2015). Impairments in negative emotion recognition and empathy for pain in Huntington's disease families. *Neuropsychologia*, 68, 158-167.
- Barbosa, E. R., Casagrande, S. C. B., & de Andrade Freitas, C. H. (2018). Extrapyrarnidal Syndromes After Traumatic Brain Injury. In *Topics in Cognitive Rehabilitation in the TBI Post-Hospital Phase* (pp. 41-47). Springer, Cham.
- Berra, E., De Icco, R., Avenali, M., Dagna, C., Cristina, S., Pacchetti, C., Fresia, M., Sandrini, G., & Tassorelli, C. (2019). Body Weight Support Combined With Treadmill in the Rehabilitation of Parkinsonian Gait: A Review of Literature and New Data From a Controlled Study. *Frontiers in neurology*, 9, 1066.
- Bloem, B. R., Grimbergen, Y. A., van Dijk, J. G., & Munneke, M. (2006). The “posture second” strategy: a review of wrong priorities in Parkinson's disease. *Journal of the neurological sciences*, 248(1-2), 196-204.

Movement Disorders: Clinical Presentation and Rehabilitation Considerations  
Copyright Jodi Gootkin 2023

Bloem, B. R., Marinus, J., Almeida, Q., Dibble, L., Nieuwboer, A., Post, B., ... & Schrag, A. (2016). Measurement instruments to assess posture, gait, and balance in Parkinson's disease: Critique and recommendations. *Movement Disorders*, 31(9), 1342-1355.

Bonnechère, B., Jansen, B., Haack, I., Omelina, L., Feipel, V., Jan, S. V. S., & Pandolfo, M. (2018). Automated functional upper limb evaluation of patients with Friedreich ataxia using serious games rehabilitation exercises. *Journal of neuroengineering and rehabilitation*, 15(1), 87.

Bouça-Machado, R., Gonçalves, N., Lousada, I., Patriarca, M. A., Costa, P., Nunes, R., ... & Guedes, L. C. (2020). Patients and Health Professional's Perspective of Functional Mobility in Parkinson's Disease. *Frontiers in neurology*, 11.

Bouça-Machado, R., Jalles, C., Guerreiro, D., Pona-Ferreira, F., Branco, D., Guerreiro, T., ... & Ferreira, J. J. (2020). Gait Kinematic Parameters in Parkinson's Disease: A Systematic Review. *Journal of Parkinson's Disease*, (Preprint), 1-11.

Bouça-Machado, R., Pona-Ferreira, F., Gonçalves, N., Leitão, M., Cacho, R., Castro-Caldas, A., ... & Team, C. M. (2020). Outcome Measures for Evaluating the Effect of a Multidisciplinary Intervention on Axial Symptoms of Parkinson's Disease. *Frontiers in Neurology*, 11.

Bouça-Machado, R., Venturelli, M., Tinazzi, M., Schena, F., & Ferreira, J. J. (2020). Treating Patients Like Athletes: Sports Science Applied to Parkinson's Disease. *Frontiers in neurology*, 11, 228.

Braak, H., & Del Tredici, K. (2017). Neuropathological staging of brain pathology in sporadic Parkinson's disease: separating the wheat from the chaff. *Journal of Parkinson's disease*, 7(s1), S71-S85.

Bryans, L. A., Palmer, A. D., Anderson, S., Schindler, J., & Graville, D. J. (2021). The impact of Lee Silverman Voice Treatment (Lsvt Loud®) on voice, communication, and participation: Findings from a prospective, longitudinal study. *Journal of Communication Disorders*, 89, 106031.

Bukowska, A. A., Krężałek, P., Mirek, E., Bujas, P., & Marchewka, A. (2016). Neurologic music therapy training for mobility and stability rehabilitation with Parkinson's disease—A pilot study. *Frontiers in human neuroscience*, 9, 710.

Capato, T. T., Nonnekes, J., de Vries, N. M., Int'Hout, J., Barbosa, E. R., & Bloem, B. R. (2020). Effects of multimodal balance training supported by rhythmical auditory stimuli in people with advanced stages of Parkinson's disease: a pilot randomized clinical trial. *Journal of the Neurological Sciences*, 418, 117086.

Caroff, S. N., Yeomans, K., Lenderking, W. R., Cutler, A. J., Tanner, C. M., Shalhoub, H., Pagé, V., Chen, J., Franey, E., & Yonan, C. (2020). RE-KINECT: A Prospective Study of the Presence and Healthcare Burden of Tardive Dyskinesia in Clinical Practice Settings. *Journal of clinical psychopharmacology*, 40(3), 259–268.

Clarke, C. E., Patel, S., Ives, N., Rick, C. E., Woolley, R., Wheatley, K., ... & Sackley, C. M. (2016). Clinical effectiveness and cost-effectiveness of physiotherapy and occupational therapy versus no therapy in mild to moderate Parkinson's disease: a large pragmatic randomised controlled trial (PD REHAB).

*Movement Disorders: Clinical Presentation and Rehabilitation Considerations*  
Copyright Jodi Gootkin 2023



- Cook, A., & Giunti, P. (2017). Friedreich's ataxia: clinical features, pathogenesis and management. *British Medical Bulletin*, 1-12.
- Cornett, E. M., Novitch, M., Kaye, A. D., Kata, V., & Kaye, A. M. (2017). Medication-induced tardive dyskinesia: a review and update. *Ochsner Journal*, 17(2), 162-174.
- Delatycki, M. B., & Bidichandani, S. I. (2019). Friedreich ataxia-pathogenesis and implications for therapies. *Neurobiology of Disease*, 132, 104606.
- Dilks, S., Xavier, R. M., Kelly, C., & Johnson, J. (2019). Implications of Antipsychotic Use: Antipsychotic-Induced Movement Disorders, with a Focus on Tardive Dyskinesia. *Nursing Clinics*, 54(4), 595-608.
- Dy, A. M. B., Limjoco, L. L. G., & Jamora, R. D. G. (2020). Trimetazidine-induced parkinsonism: A systematic review. *Frontiers in Neurology*, 11.
- Eccles, F. J., Craufurd, D., Smith, A., Davies, R., Glenny, K., Homberger, M., ... & Theed, R. (2020). A feasibility investigation of mindfulness-based cognitive therapy for people with Huntington's disease. *Pilot and Feasibility Studies*, 6(1), 1-13.
- Eddy, C. M., & Rickards, H. E. (2015). Interaction without intent: the shape of the social world in Huntington's disease. *Social cognitive and affective neuroscience*, 10(9), 1228-1235.
- Ferguson, L. W., Rajput, A. H., & Rajput, A. (2016). Early-onset vs. late-onset Parkinson's disease: a clinical-pathological study. *Canadian Journal of Neurological Sciences*, 43(1), 113-119.
- Finley, J. M., Gotsis, M., Lympouridis, V., Jain, S., Kim, A., & Fisher, B. E. (2021). Design and Development of a Virtual Reality-Based Mobility Training Game for People With Parkinson's Disease. *Frontiers in neurology*, 11, 577713.
- Foley, J. A., Lancaster, C., Poznyak, E., Borejko, O., Niven, E., Foltynie, T., ... & Cipelotti, L. (2019). Impairment in Theory of Mind in Parkinson's Disease Is Explained by Deficits in Inhibition. *Parkinson's Disease*, 2019.
- Fritz, N. E., Rao, A. K., Kegelmeyer, D., Kloos, A., Busse, M., Hartel, L., Carrier, J., & Quinn, L. (2017). Physical Therapy and Exercise Interventions in Huntington's Disease: A Mixed Methods Systematic Review. *Journal of Huntington's disease*, 6(3), 217-235.
- Gardner, R. C., Byers, A. L., Barnes, D. E., Li, Y., Boscardin, J., & Yaffe, K. (2018). Mild TBI and risk of Parkinson disease: a chronic effects of neurotrauma consortium study. *Neurology*, 90(20), e1771-e1779.
- Gatto, E. M., & Aldinio, V. (2019). Impulse Control Disorders in Parkinson's Disease. A Brief and Comprehensive Review. *Frontiers in neurology*, 10, 351.
- Geroin, C., Nonnekes, J., de Vries, N. M., Strouwen, C., Smania, N., Tinazzi, M., ... & Bloem, B. R. (2018). Does dual-task training improve spatiotemporal gait parameters in Parkinson's disease?. *Parkinsonism & related disorders*, 55, 86-91.
- Gilat, M., de Lima, A. L. S., Bloem, B. R., Shine, J. M., Nonnekes, J., & Lewis, S. J. (2018). Freezing of gait: promising avenues for future treatment. *Parkinsonism & related disorders*, 52, 7-16.

Movement Disorders: Clinical Presentation and Rehabilitation Considerations  
 Copyright Jodi Gootkin 2023

Ginis, P., Nackaerts, E., Nieuwboer, A., & Heremans, E. (2018). Cueing for people with Parkinson's disease with freezing of gait: a narrative review of the state-of-the-art and novel perspectives. *Annals of physical and rehabilitation medicine*, 61(6), 407-413.

Godinho, C., Domingos, J., Cunha, G., Santos, A. T., Fernandes, R. M., Abreu, D., ... & Al-Jawad, A. (2016). A systematic review of the characteristics and validity of monitoring technologies to assess Parkinson's disease. *Journal of neuroengineering and rehabilitation*, 13(1), 1-10.

Goetz, C. G., Poewe, W., Rascol, O., Sampaio, C., Stebbins, G. T., Counsell, C., ... & Yahr, M. D. (2004). Movement Disorder Society Task Force report on the Hoehn and Yahr staging scale: status and recommendations the Movement Disorder Society Task Force on rating scales for Parkinson's disease. *Movement disorders*, 19(9), 1020-1028.

Gómez-Benito, M., Granado, N., García-Sanz, P., Michel, A., Dumoulin, M., & Moratalla, R. (2020). Modeling Parkinson's disease with the alpha-synuclein protein. *Frontiers in pharmacology*, 11, 356.

Greenland JC, Barker RA. The Differential Diagnosis of Parkinson's Disease. In: Stoker TB, Greenland JC, editors. *Parkinson's Disease: Pathogenesis and Clinical Aspects* [Internet]. Brisbane (AU): Codon Publications; 2018 Dec 21. Chapter 6. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK536715/> doi: 10.15586/codonpublications.parkinsonsdisease.2018.ch6

Grimes, D., Fitzpatrick, M., Gordon, J., Miyasaki, J., Fon, E. A., Schlossmacher, M., Suchowersky, O., Rajput, A., Lafontaine, A. L., Mestre, T., Appel-Cresswell, S., Kalia, S. K., Schoffer, K., Zurowski, M., Postuma, R. B., Udow, S., Fox, S., Barbeau, P., & Hutton, B. (2019). Canadian guideline for Parkinson disease. *CMAJ : Canadian Medical Association journal = journal de l'Association medicale canadienne*, 191(36), E989–E1004.

Habas, C. (2021). Functional Connectivity of the Cognitive Cerebellum. *Frontiers in Systems Neuroscience*, 15, 27.

Harnod, D., Yen, Y. S., Lin, C. L., Harnod, T., & Kao, C. H. (2019). Posttraumatic Parkinsonism would increase the mortality risk in elderly patients with traumatic brain injury. *Annals of translational medicine*, 7(23).

Hartley, H., Cassidy, E., Bunn, L., Kumar, R., Pizer, B., Lane, S., & Carter, B. (2019). Exercise and Physical Therapy Interventions for Children with Ataxia: a systematic review. *The Cerebellum*, 1-18.

Hill, E. J., Mangleburg, C. G., Alfradique-Dunham, I., Ripperger, B., Stillwell, A., Saade, H., ... & Hunter, C. (2020). Quantitative mobility measures complement the MDS-UPDRS for characterization of Parkinson disease heterogeneity. *medRxiv*.

Hong, J. Y., Sunwoo, M. K., Yoon, J. H., Kang, S. Y., Sohn, Y. H., Lee, P. H., & Kim, S. H. (2020). Rapid drug increase and early onset of levodopa-induced dyskinesia in Parkinson's disease. *PloS one*, 15(8), e0237472.

Hulzinga, F., Nieuwboer, A., Dijkstra, B. W., Mancini, M., Strouwen, C., Bloem, B. R., & Ginis, P. (2020). The New Freezing of Gait Questionnaire: Unsuitable as an Outcome in Clinical Trials?. *Movement disorders clinical practice*, 7(2), 199–205.

Movement Disorders: Clinical Presentation and Rehabilitation Considerations  
Copyright Jodi Gootkin 2023

Jackson, R., Brams, M. N., Citrome, L., Hoberg, A. R., Isaacson, S. H., Kane, J. M., & Kumar, R. (2021). Assessment of the Impact of Tardive Dyskinesia in Clinical Practice: Consensus Panel Recommendations. *Neuropsychiatric Disease and Treatment*, 17, 1589.

Kadivar, Z., Corcos, D. M., Foto, J., & Hondzinski, J. M. (2011). Effect of step training and rhythmic auditory stimulation on functional performance in Parkinson patients. *Neurorehabilitation and neural repair*, 25(7), 626-635.

Kane, J. M., Correll, C. U., Nierenberg, A. A., Caroff, S. N., Sajatovic, M., & Tardive Dyskinesia Assessment Working Group. (2018). Revisiting the abnormal involuntary movement scale: proceedings from the tardive dyskinesia assessment workshop. *The Journal of clinical psychiatry*, 79(3), 0-0.

Khatib, A. (2019). A Comparison of Brain Trauma Characteristics from Head Impacts for Lightweight and Heavyweight Fighters in Professional Mixed Martial Arts (Doctoral dissertation, Université d'Ottawa/University of Ottawa).

Lu, M., Poston, K., Pfefferbaum, A., Sullivan, E. V., Fei-Fei, L., Pohl, K. M., ... & Adeli, E. (2020, October). Vision-based Estimation of MDS-UPDRS Gait Scores for Assessing Parkinson's Disease Motor Severity. In *International Conference on Medical Image Computing and Computer-Assisted Intervention* (pp. 637-647). Springer, Cham.

Mahul-Mellier, A. L., Burtscher, J., Maharjan, N., Weerens, L., Croisier, M., Kuttler, F., ... & Lashuel, H. A. (2020). The process of Lewy body formation, rather than simply  $\alpha$ -synuclein fibrillization, is one of the major drivers of neurodegeneration. *Proceedings of the National Academy of Sciences*, 117(9), 4971-4982.

Marsili, L., Rizzo, G., & Colosimo, C. (2018). Diagnostic criteria for Parkinson's disease: from James Parkinson to the concept of prodromal disease. *Frontiers in neurology*, 9, 156.

Maudoux, A., Teissier, N., Francois, M., Van Den Abbeele, T., Alberti, C., Husson, I., & Wiener-Vacher, S. R. (2020). Vestibular impact of Friedreich ataxia in early onset patients. *Cerebellum & Ataxias*, 7, 1-12.

Mestre, T. A., Busse, M., Davis, A. M., Quinn, L., Rodrigues, F. B., Burgunder, J. M., ... & Goetz, C. G. (2018). Rating scales and performance-based measures for assessment of functional ability in Huntington's disease: critique and recommendations. *Movement disorders clinical practice*, 5(4), 361-372.

Mollinedo, I., & Cancela, J. M. (2020). Evaluation of the psychometric properties and clinical applications of the Timed Up and Go test in Parkinson disease: a systematic review. *Journal of Exercise Rehabilitation*, 16(4), 302.

Moon, B. B., Dahikar, G. D., & Ganjiwale, R. O. (2020). A Review on Huntington's disease. *Epidemiology*, 8, 11.

Morgan, C., Rolinski, M., McNaney, R., Jones, B., Rochester, L., Maetzler, W., ... & Whone, A. L. (2020). Systematic Review Looking at the Use of Technology to Measure Free-Living Symptom and Activity Outcomes in Parkinson's Disease in the Home or a Home-like Environment. *Journal of Parkinson's disease*, (Preprint), 1-26.

Movement Disorders: Clinical Presentation and Rehabilitation Considerations  
Copyright Jodi Gootkin 2023

Morris, M. E., Martin, C. L., & Schenkman, M. L. (2010). Striding out with Parkinson disease: evidence-based physical therapy for gait disorders. *Physical therapy*, 90(2), 280-288.

Muthuraman, M., Koirala, N., Ciolac, D., Pintea, B., Glaser, M., Groppa, S., ... & Groppa, S. (2018). Deep brain stimulation and L-DOPA therapy: concepts of action and clinical applications in Parkinson's disease. *Front. Neurol.* 9, 711.

National Institute of Health, National Institute of Neurological Disorders and Stroke. Friedreich's ataxia. Accessed November 27, 2020 <https://www.ninds.nih.gov/Disorders/Patient-Caregiver-Education/Fact-Sheets/Friedreichs-Ataxia-Fact-Sheet>

National Institute of Health, National Institute of Neurological Disorders and Stroke. Parkinson's disease: Challenges, progress, and promise. Accessed November 25, 2020 <https://www.ninds.nih.gov/Disorders/All-Disorders/Parkinsons-Disease-Challenges-Progress-and-Promise>

National Institute of Health, National Institute of Neurological Disorders and Stroke. Tardive Dyskinesia Information Page. Accessed November 26, 2020 <https://www.ninds.nih.gov/Disorders/All-Disorders/Tardive-Dyskinesia-Information-Page>

National Institutes of Health, National Center for Advancing Translational Services Genetic and Rare Diseases Information Center. Huntington Disease. Accessed November 25, 2020 <https://rarediseases.info.nih.gov/diseases/6677/huntington-disease>

Oleszek, J and Wyrwa, J. (2019) Friedreich's ataxia. *PM&R Now* <https://now.aapmr.org/freidreichs-ataxia/>

Pandey, S., & Srivanitchapoom, P. (2017). Levodopa-induced Dyskinesia: Clinical Features, Pathophysiology, and Medical Management. *Annals of Indian Academy of Neurology*, 20(3), 190–198.

Perez-Lloret, S., van de Warrenburg, B., Rossi, M., Rodríguez-Blázquez, C., Zesiewicz, T., Saute, J. A., ... & Schrag, A. (2020). Assessment of Ataxia Rating Scales and Cerebellar Functional Tests: Critique and Recommendations. *Movement Disorders*.

Peterka, M., Odorfer, T., Schwab, M., Volkmann, J., & Zeller, D. (2020). LSVT-BIG therapy in Parkinson's disease: physiological evidence for proprioceptive recalibration. *BMC neurology*, 20(1), 1-8.

Pick, E., Kleinbub, J. R., Mannarini, S., & Palmieri, A. (2019). Empathy In Neurodegenerative Diseases: A Systematic Review. *Neuropsychiatric disease and treatment*, 15, 3287–3304. <https://doi.org/10.2147/NDT.S225920>

Pierce, J. E., & Péron, J. (2020). The basal ganglia and the cerebellum in human emotion. *Social Cognitive and Affective Neuroscience*, 15(5), 599-613.

Popa, L. C., Leucuta, D. C., Tohanean, N., Popa, S. L., & Perju-Dumbrava, L. (2020). Intrajejunal vs oral levodopa-carbidopa therapy in Parkinson disease: A retrospective cohort study. *Medicine*, 99(46).

Post, B., van den Heuvel, L., van Prooije, T., van Ruissen, X., van de Warrenburg, B., & Nonnekes, J. (2020). Young Onset Parkinson's Disease: A Modern and Tailored Approach. *Journal of Parkinson's Disease*, (Preprint), 1-8.

Movement Disorders: Clinical Presentation and Rehabilitation Considerations  
Copyright Jodi Gootkin 2023

Quinn, L., Kegelmeyer, D., Kloos, A., Rao, A. K., Busse, M., & Fritz, N. E. (2020). Clinical recommendations to guide physical therapy practice for Huntington disease. *Neurology*, 94(5), 217–228.

Rodríguez, L., Lapeña, T., Calap-Quintana, P., Moltó, M. D., Gonzalez-Cabo, P., & Navarro Langa, J. A. (2020). Antioxidant Therapies and Oxidative Stress in Friedreich's Ataxia: The Right Path or Just a Diversion?. *Antioxidants*, 9(8), 664.

Romosán, A. M., Dehelean, L., Romosán, R. S., Andor, M., Bredicean, A. C., & Simu, M. A. (2019). Affective theory of mind in Parkinson's disease: the effect of cognitive performance. *Neuropsychiatric disease and treatment*, 15, 2521–2535.  
<https://doi.org/10.2147/NDT.S219288>

Ryan, M. B. (2020). The cellular and synaptic mechanisms of parkinsonism and levodopa-induced dyskinesia (Doctoral dissertation, UCSF).

Santos-Lobato, B. L., Schumacher-Schuh, A. F., Rieder, C. R., Hutz, M. H., Borges, V., Ferraz, H. B., ... & Tumas, V. (2020). Diagnostic prediction model for levodopa-induced dyskinesia in Parkinson's disease. *Arquivos de Neuro-Psiquiatria*, 78(4), 206-216.

Schaeffer, E., Linke, G., & Berg, D. (2016). "Cueing" for Levodopa-Induced Dyskinesias in Parkinson's Disease. *Frontiers in neurology*, 7, 237.

Schaible, F., Maier, F., Buchwitz, T. M., Schwartz, F., Hoock, M., Schönau, E., ... & Eggers, C. (2021). Effects of Lee Silverman Voice Treatment BIG and conventional physiotherapy on non-motor and motor symptoms in Parkinson's disease: a randomized controlled study comparing three exercise models. *Therapeutic advances in neurological disorders*, 14, 1756286420986744.

Schmahmann, J. D., Guell, X., Stoodley, C. J., & Halko, M. A. (2019). The theory and neuroscience of cerebellar cognition. *Annual review of neuroscience*, 42, 337-364.

Schneider, S. A., Hizli, B., & Alcalay, R. N. (2020). Emerging Targeted Therapeutics for Genetic Subtypes of Parkinsonism. *Neurotherapeutics*, 1-15.

Schniepp, R., Möhwald, K., & Wuehr, M. (2019). Clinical and automated gait analysis in patients with vestibular, cerebellar, and functional gait disorders: perspectives and limitations. *Journal of neurology*, 1-5.

Shrimanker, I., Tadi, P., & Sánchez-Manso, J. C. (2020). Parkinsonism. *StatPearls* [Internet]. <https://www.ncbi.nlm.nih.gov/books/NBK542224/>

Silva-Batista, C., Corcos, D. M., Roschel, H., Kanegusuku, H., Gobbi, L. T., Piemonte, M. E., ... & Ugrinowitsch, C. (2016). Resistance training with instability for patients with Parkinson's disease. *Med Sci Sports Exerc*, 48(9), 1678-1687.

Silva-Batista, C., de Lima-Pardini, A. C., Nucci, M. P., Coelho, D. B., Batista, A., Piemonte, M. E. P., ... & Horak, F. B. (2020). A randomized, controlled trial of exercise for parkinsonian individuals with freezing of gait. *Movement Disorders*, 35(9), 1607-1617.

Snowden, J. S. (2017). The neuropsychology of Huntington's disease. *Archives of Clinical Neuropsychology*, 32(7), 876-887.

Movement Disorders: Clinical Presentation and Rehabilitation Considerations  
Copyright Jodi Gootkin 2023

- Stahl, C. M., & Feigin, A. (2020). Medical, Surgical, and Genetic Treatment of Huntington Disease. *Neurologic Clinics*, 38(2), 367-378.
- Stevens, A., Stanton, R., & Rebar, A. L. (2020). Helping people with Parkinson disease build exercise self-efficacy. *Physical therapy*, 100(2), 205-208.
- Steventon, J. J., Furby, H., Ralph, J., O'Callaghan, P., Rosser, A. E., Wise, R. G., ... & Murphy, K. (2020). Altered cerebrovascular response to acute exercise in patients with Huntington's disease. *Brain communications*, 2(1), fcaa044.
- Strassnig, M., Rosenfeld, A., & Harvey, P. D. (2018). Tardive dyskinesia: motor system impairments, cognition and everyday functioning. *CNS spectrums*, 23(6), 370-377.
- Strouwen, C., Molenaar, E. A., Keus, S. H., Münks, L., Bloem, B. R., & Nieuwboer, A. (2016). Test-retest reliability of dual-task outcome measures in people with Parkinson disease. *Physical therapy*, 96(8), 1276-1286.
- Strouwen, C., Molenaar, E. A., Münks, L., Keus, S. H., Bloem, B. R., Rochester, L., & Nieuwboer, A. (2015). Dual tasking in Parkinson's disease: should we train hazardous behavior?. *Expert review of neurotherapeutics*, 15(9), 1031-1039.
- Strouwen, C., Molenaar, E. A., Münks, L., Keus, S. H., Zijlmans, J. C., Vandenberghe, W., ... & Nieuwboer, A. (2017). Training dual tasks together or apart in Parkinson's disease: results from the DUALITY trial. *Movement Disorders*, 32(8), 1201-1210.
- Trinkler, I., Devignevielle, S., Achaibou, A., Ligneul, R. V., Brugières, P., de Langavant, L. C., ... & Bachoud-Lévi, A. C. (2017). Embodied emotion impairment in Huntington's Disease. *Cortex*, 92, 44-56.
- Vasan S, Padhy RK. Tardive Dyskinesia. [Updated 2021 May 3]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2021 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK448207/>
- Vela, L., Castrillo, J. M., Ruiz, P. G., Gasca-Salas, C., Macías, Y. M., Fernández, E. P., ... & Mata, M. (2016). The high prevalence of impulse control behaviors in patients with early-onset Parkinson's disease: a cross-sectional multicenter study. *Journal of the Neurological Sciences*, 368, 150-154.
- Vijayakumar, D., & Jankovic, J. (2016). Drug-induced dyskinesia, part 2: treatment of tardive dyskinesia. *Drugs*, 76(7), 779-787.
- Visanji, N.P., Brooks, P.L., Hazrati, LN. et al. (2013). The prion hypothesis in Parkinson's disease: Braak to the future. *acta neuropathol commun* 1, 2.
- Ward, K. M., & Citrome, L. (2018). Antipsychotic-Related Movement Disorders: Drug-Induced Parkinsonism vs. Tardive Dyskinesia-Key Differences in Pathophysiology and Clinical Management. *Neurology and therapy*, 7(2), 233-248.
- Williams, C. T., & De Jesus, O. (2020). Friedreich Ataxia. *StatPearls* [Internet]. Accessed December 1, 2020 <https://www.ncbi.nlm.nih.gov/books/NBK563199/>

Movement Disorders: Clinical Presentation and Rehabilitation Considerations  
Copyright Jodi Gootkin 2023

Winser, S. J., Kannan, P., Bello, U. M., & Whitney, S. L. (2019). Measures of balance and falls risk prediction in people with Parkinson's disease: a systematic review of psychometric properties. *Clinical rehabilitation*, 33(12), 1949-1962.

Xu, L., & Pu, J. (2016). Alpha-Synuclein in Parkinson's Disease: From Pathogenetic Dysfunction to Potential Clinical Application. *Parkinson's disease*, 2016, 1720621.

Yu, R. L., Chen, P. S., Tu, S. C., Tsao, W. C., & Tan, C. H. (2018). Emotion-specific affective theory of mind impairment in Parkinson's disease. *Scientific reports*, 8(1), 1-8.

Yue, Y., Jiang, Y., Shen, T., Pu, J., Lai, H. Y., & Zhang, B. (2020). ALFF and ReHo Mapping Reveals Different Functional Patterns in Early-and Late-Onset Parkinson's Disease. *Frontiers in Neuroscience*, 14, 141.

Zanardi, A. P. J., da Silva, E. S., Costa, R. R., Passos-Monteiro, E., Dos Santos, I. O., Kruel, L. F. M., & Peyré-Tartaruga, L. A. (2021). Gait parameters of Parkinson's disease compared with healthy controls: a systematic review and meta-analysis. *Scientific reports*, 11(1), 1-13.

Zhao, H., Lewellen, B. M., Wilson, R. J., Cui, D., Drake, J. C., Zhang, M., & Yan, Z. (2020). Long-term voluntary running prevents the onset of symptomatic Friedreich's ataxia in mice. *Scientific reports*, 10(1), 1-11.

Movement Disorders: Clinical Presentation and Rehabilitation Considerations  
Copyright Jodi Gootkin 2023

**Copyright 2023 (c) Innovative Educational Services and Jodi Gootkin. All rights reserved.  
Reproduction, reuse, or republication of all or any part of this presentation is strictly prohibited  
without prior written consent of both Innovative Educational Services and Jodi Gootkin.**

# Movement Disorders: Clinical Presentation and Rehabilitation Considerations

## Resources

US Department of Veterans Affairs Parkinson's Disease Playlist – short videos addressing various aspects of Parkinson's disease told through individual's stories

<https://www.parkinsons.va.gov/patients.asp>

International Parkinson and Movement Disorder Society  
Recommended Rating Scales

<https://www.movementdisorders.org/MDS/Education/Rating-Scales/MDS-Recommended-Rating-Scales.htm>

Movement Disorders Society - Modified Unified Parkinson's Disease Rating Scale (MDS-UPDRS)

<https://www.movementdisorders.org/MDS/MDS-Rating-Scales/MDS-Unified-Parkinsons-Disease-Rating-Scale-MDS-UPDRS.htm>

<https://www.apta.org/patient-care/evidence-based-practice-resources/test-measures/unified-parkinsons-disease-rating-scale-updrs-movement-disorders-society-mds-modified-unified-parkinsons-disease-rating-scale-mds-updrs#Ref2>

Parkinson's Disease Questionnaire (PDQ-39)

<https://www.parkinsons.org.uk/professionals/resources/parkinsons-disease-questionnaire-pdq-39>

Montreal Cognitive Assessment (MoCA)

<https://www.mocatest.org/>

Patient Motor Diary

<https://www.parkinsons.va.gov/resources/motordiary.pdf>

New Freezing of Gait Questionnaire (N-FOGQ)

[https://www.physio-pedia.com/New\\_Freezing\\_of\\_Gait\\_Questionnaire\\_\(NFOG-Q\)](https://www.physio-pedia.com/New_Freezing_of_Gait_Questionnaire_(NFOG-Q))

Unified Huntington's Disease Rating Scale (UHDRS™)

<https://huntingtonstudygroup.org/uhdrs/>

Movement Disorders: Clinical Presentation and Rehabilitation Considerations  
Copyright Jodi Gootkin 2023



# Movement Disorders: Clinical Presentation and Rehabilitation Considerations

## Videos of Movement Patterns

Tardive Dyskinesia and Drug Induce Parkinsonism

[https://youtu.be/2xfu-d\\_aYWs](https://youtu.be/2xfu-d_aYWs)

Parkinson's Disease

<https://youtu.be/CqEwPqUO1Bw>

Freezing of Gait

<https://youtu.be/3Dxv8O2Pgl4>

Levodopa Induced Dyskinesia

<https://youtu.be/YnKtwMisQVI>

Parkinson's Plus Syndromes

<https://youtu.be/Qn4VrJRiBOK>

Huntington's Disease - Adult

<https://youtu.be/Xmd16hMwi38>

Huntington's Disease - Juvenile

<https://youtu.be/Sb6YjAfB1H0>

Friedreich's Ataxia

[https://youtu.be/wdK\\_eHjKQRE](https://youtu.be/wdK_eHjKQRE)

Movement Disorders: Clinical Presentation and Rehabilitation Considerations  
Copyright Jodi Gootkin 2023