Foot and Ankle Orthopedic Disorders

Live Interactive Webinar
Presented By
Jodi Gootkin, PT, MEd, CEAS
jodiemail@comcast.net

Τ

Course Overview

"Foot and Ankle Orthopedic Disorders" is a live (real-time) interactive webinar for rehabilitation professionals that examines common orthopedic ankle and foot disorders. This course includes a review of current literature relating to pathogenesis, clinical presentation, and rehabilitation considerations for pathologies of the foot and ankle.

Copyright Jodi Gootkin 2023

Course Rationale

• The purpose of this course is to provide participants with contemporary information on orthopedic foot and ankle disorders with comparative analysis of pathogenesis and clinical presentation to understand rehabilitation considerations and maximize outcomes based on current research.

Copyright Jodi Gootkin 202

3

Goals and Objectives


- List and identify common anatomical structures of the foot and ankle.
- Identify normal and abnormal foot and ankle arthrokinematics.
- 3. Recognize and define common pathologies involving the joints, bones, ligaments, tendons, and fascia of the foot and ankle.
- Distinguish the mechanism of injury and pathogenesis of common foot and ankle disorders.
- 5. Describe foot and ankle fracture classifications.
- Describe the clinical presentation of common foot and ankle disorders.
- Detail provocative tests utilized to assess disorders of the foot and ankle.
- 8. List management strategies for disorders of the foot and ankle.
- Compare and contrast foot and ankle patient reported outcome measures.
- 10. Identify balance tools for assessment of foot and ankle disorders.


4

Disclaimer

- Application of concepts presented in this webinar is at the discretion of the individual participant in accordance with federal, state, and professional regulations.
- No conflict of interest exists for the presenter or provider of this course.

Copyright Jodi Gootkin 2023






8

The foot and ankle is critical for locomotion, balance, and weight bearing when performing functional and recreational activities	Pediatrics Adults Elderly	Foot and ankle pathology Ergonomic screening and workplace tasks	Neurologic diagnosis
Copyright Jodi Gootkin 2023			9

9


Region	s of the Foot		
Hindfoot	Talocrural and Subtalar	Tibia, Fibula. Talus, Calcaneus	
Midfoot	Transverse tarsal, talonavicular, calcaneocuboid, TMT	Navicular, Cuboid, 3 Cuneiforms, Metatarsals	
Forefoot	Tarsometatarsal, MTP, PIP, DIP	Metatarsals, Phalanges, Sesamoids	
			10


10




Arthrokinematics Dorsiflexion The superior surface of the body of the talus is wider anteriorly Inversion and eversion motion The medial malleolus is shorter than the lateral Acquired flat foot with aging "Pull-off" vs. "push-off" gait pattern Copyright Joid Gootkin 2023 Menz, H. B. (2015), Biomechanics of the ageing foot and ankle: a mini-review, Gerontology, 61(4), 381-388. 12

Foot¹ and Ankle Orthopedic Disorders Copyright Jodi Gootkin






14




Ankle Ligaments Lateral complex Anterior talofibular Calcaneofibular Posterior talofibular **Deltoid ligament** Posterior tibiotalar Tibiocalcaneal Tibionavicular Anterior tibiotalar Distal tibiofibular syndesmosis Anterior-inferior, posterior-inferior, transverse tibiofibular ligaments •Interosseous membrane and ligament Inferior transverse ligament 16

16



LAS Clinical Presentation Lateral perimalleolar swelling, ecchymosis, increased symptoms with passive plantarflexion with inversion Pain or tenderness with palpation of ligaments Tenderness of peroneus longus and/or brevis Assess Weight Bearing Lunge Test, single-limb balance and hopping, and dynamic balance mindful of safety Copyright Joid Gootkin 2023 Gribble, P. A. (2019), Evaluating and differentiating ankle instability. Journal of athletic training, 54(6), 617-827. 18


Foot⁷ and Ankle Orthopedic Disorders Copyright Jodi Gootkin



Mechanism of injury to the deltoid complex is combined pronation, abduction, and dorsiflexion of the foot
Differential diagnosis includes Maisonneuve fracture
Medial ankle sprain and proximal fibula fracture

Copyright Jod Gootkin 2023
Wade, F., et.al. (2018). Kinematic analysis of a televised medial ankle sprain. Asia-Pacific journal of sports medicine, anthroscopy, rehabilitation and technology, 12, 12-16.

20



Syndesmosis Sprain Clinical Presentation

- Anterolateral ankle and distal leg pain exacerbated with weight bearing and ambulation on uneven surfaces
- Heel raised during gait with short stance on involved side

Cotton

External Rotation Stress

Provocative Tests

Squeeze

Crossed -leg Fibula Translation

Larkina, L., et.al. (2020) Physical examination of the ankle: a review of the original orthopedic special lead description and scientific validity of common lesis for ankle examination. Arctives of Robinshields Robertal and Cincel Translation, 20, 100072.

22

Ankle Sprain Neuropathy

Monitor for initial or delayed neurologic symptoms and CRPS Type 1

Deep peroneal

Distal first intermetatarsal space Percuss extensor hallucis brevis

Superficial peroneal

Distal lateral leg/ankle/dorsum of foot Pressure proximal to distal tip of fibula with active dorsiflexion/eversion Percuss with passive plantarflexion and inversion


Sural


Lateral foot/ankle Pressure posterior to lateral malleolus Passive plantarflexion/inversion

Tibial

Medial ankle or plantar surface
Palpate tarsal tunnel Passive ankle/toe dorsiflexion with foot eversion

Copyright Pina, M., et.al. (2021). Persistent Nerve Injury and CRPS After Ankle Sprains. Techniques in Foot & Ankle Surgery, 20(1), 2-9/3





Ankle Sp	rain Func	tional Support Outcomes	
LAS Inte	ervention	Outcome	
Dynamic	tape	Improved asymmetrical loading	
Kinesiota	ape	Single-leg dynamic balance improved Dynamic postural control similar to sham)
Bracing		No consensus on flexible vs. rigid	
Copyright Jodi Gootkin 2023	during Certain Tasks, Er Preliminary Report. Inter Tomruk, M., et.al. (2022 Motion, and Muscle Stre Journal of Family Medic Altomare, D., et.al. (202	Patients with Grade I and II Ankle Sprains, Dynamic Taping Seems to Be Helpful vercioses and Tests in Selected Phases of the Rehabilitation Process: A national Journal of Environmental Research and Public Health, 19(9), 5291. J. & Ankle Kinesid Spring Effective to Immediately Change Belance, Range of right in Healthy Individuals? A Randomized, Sham-Controlled Trial. Korean ine, 43(2), 109. 2). Evidence-based treatment choices for acute lateral ankle sprain: a fice review. Eur Rev Med Pharmacol Sci. 28(6), 1876–1884.	26

Ankle Sp	rain Functional Therapy	
Proprioce Dynamic Conside	bilateral lower extremity strengthening eption training, reaction time balance er sensorimotor connectivity deficits in the elde ilization program	erly
Copyright Jodi Gootkin 2023	Bain, K., et.al. (2021). Sensorimotor Connectivity is related to Static Postural Control in Older Adults with History of Lateral Ankle Sprain. Ardakani, M., et.al. (2019). Horp-Stabilization Training and Landing Blomechanics in Athletes With Chronic Ankle Instability. A Randomized Controlled Trial. Journal of athletic training, 54(12), 1296–1303.	27


Ankle Sprain Gait Analysis

Talar inversion secondary to altered soft tissue mechanical stiffness can increase ankle complex joint degeneration


Plantar flexion


**Plantar f

Ankle	Sprain Altered Gait Kinematics	
	 Altered mechanics when landing may contribute to recurrent ankle sprain, anterior cruciate injury, and ankle/knee osteoarthritis 	
	Decreased peroneal activation before toe landing	ı
	Impaired gastroc-soleus control during landing	
	Talar stress, load transmission proximal, injury risl	k
Copyright Jodi Gor	Lin, J. et.al. (2022). Influence of Landing in Neuromuscular Control and Ground Reaction Force with Ankle Instability. A Narrative Review. Bioengineering, 9(2), 88. Jeon, H. et.al. (2021). Ankle Instability Palents Exhibit Allered Musche Activation of John Control Co	29



Foot and Ankle Orthopedic Disorders Copyright Jodi Gootkin







اااال	ributors to CAI	
Bila	teral impaired proprioception/dynamic postural con	trol
• K	inesthesia and joint position sense diminished	
Inve	rsion and eversion weakness	
• D	elayed peroneal reaction time	
Dec	reased dorsiflexion range of motion	
• G	astroc-soleus tightness and/or talus hypomobility	
Alte	red postural control	
	ecreased gluteus medius activation and increased unk activation	
Copyright di Gootkin	Herst U. J. Corbatt R. O. (2019). An updated model of chemic earlier installarly, fourned of athetic training, 54(6), 573-588. Ma. T. et al (2011). Chronic rankle residently is associated with proproception defeits: a systematic review and meta-analysis, Journal of sport and health science, 10(2), 182-191. Horbit, M. C. 3. McKeop, P. O. (2014). Proceal seatch time after ankle sprains an systematic review and meta-analysis. Medicine and Science in Sports and Exercise, 46(2). Bertin, M. C. 3. McKeop, P. O. (2014). Proceal seatch time after ankle sprains in systematic review and meta-analysis. Medicine and Science in Sports and Exercise, 46(2). Bertin Science in Sports and Exercise, 46(2). Bertin Science in Technology in the Science in Technology in the Sprain in male soccer players: a prospective study. Journal of atheiot raining, 5(11), 1048-10(5).	33


33

Improved balance, stability, and ibined instability scores
Improved balance and subjective sense of instability
Side-hop, multiple- ts hop, foot-lift better identified CAI
1





Foots and Ankle Orthopedic Disorders Copyright Jodi Gootkin



Pilon Fracture

High energy axial loading forces talus into tibial articular surface resulting in distal tibia fracture

Nondisplaced fractures managed with immobilization and weight bearing limitation


Complex fractures require surgical intervention

Hegman, KT. (2018). American College of Occupational and Environmental Medicine Andle and Foot Disorders Guideline. Reed Group, Ltd.

Hegmann, KT. (2018). American College of Occupational and Environmental Medicine Andle and Foot Disorders Guideline. Reed Group, Ltd.

38

40



■ Fracture-dislocation or pure ligamentous injury of the first and second tarsometatarsal joints

Indirect trauma to planted plantarflexed foot

Backward fall with toes pinned

Copyright Joid Gootkin 2023

Yan, A, et al. (2021) Updates on Lisfranc Complex Injuries. Foot & Ankle Orthopaedics.

40

39

Lisfranc Complex Injury Rehabilitation

Medial plantar ecchymosis

Midfoot pain exacerbated with push-off

Dorsal midfoot pain with Tarsometatarsal Squeeze Test

Conservative or surgical management based on severity

Monitor for compartment syndrome

Copyright Jodi Goodsin 2022

Yan, A. et al. (2021). Updates on Lisfranc Complex Injuries. Fod & Ankle Orthopsedics.

Stress Fractures

Combination of excessive muscular force and repetitive loading resulting in fracture
Second and fifth metatarsal are most common

Persistent loading Remodeling Continued overload

Microtrauma Bone fatigue Fracture

Copyright Joid Gootkin 2023

Caravelli, S., et.al. (2022) Foot and Ankle Stress Fractures in Athletica. In Management of Track and Field Injures (pp. 301-309). Springer, Cham.

Foot¹and Ankle Orthopedic Disorders Copyright Jodi Gootkin

43

44

46

Fifth Metatarsal Fracture Clinical Presentation Lateral forefoot pain exacerbated with weight bearing, tenderness and swelling Inspect for varus hindfoot and metatarsal callus Pain and weakness with eversion Interview regarding activity patterns and comorbidities

Permale Athlete Triad

Very active females may present with a combination of conditions increasing risk of stress fractures

Menstrual dysfunction

Excessive exercise or activity
Amenorrhea, oligomenorrhea
Low estrogen levels

Low energy availability

Insufficient food intake or eating disorder
Decreased Calcium and Vitamin D

Low bone mineral density

Copyright Jod Goodin 2028/azem, T. G., & Ackerman, K. E. (2012). The female athlete triad. Sports health, 4(4), 302–311.

43

Fifth Metatarsal Fracture Rehabilitation

DVT prophylaxis

Avulsion – Tuberosity
WBAT in supportive device

Jones - Metaphyseal-diaphyseal
Avascular zone nonunion risk
Conservative and surgical options

Stress fracture – Proximal diaphyseal
Avascular zone is nonunion risk
Avascular zone is nonunion risk
Conservative and surgical options

Metz. J., et.al. (2022) Fifth metalarsal jones fractures: diagnosis and treatment. JAAOS-Journal of the American Academy of Othopaedic Surgeons, 30(4), e470-e479, 45

Osteochondral Lesion of Talus (OLT) Talus subchondral bone and cartilage damage following traumatic ankle injury Deep ankle pain with weight bearing and catching sensation Pain with palpation of ankle mortise Osteochondritis Osteonecrosis Fibrous Talar dome cartilage microfractures attachment loosens Subchondral synovial infiltration

45

OLT Rehabilitation

 Ankle joint off-loading
 Flexibility, strength, balance for biomechanical correction
 Platelet rich plasma or hyaluronic acid injections
 Surgery if conservative treatment unsuccessful

Mei-Der O, et al. (2012) Platelet-Rich Plasma or hyaluronate in the Management of Octoochondral Lesions of the Talue, The American Journal of Sports Medicine, Vol 40, Issue 3, pp. 534–541.

47

Ankle Impingement Syndrome


Soft tissue or osseous abnormalities of the ankle creating pain and restriction of the talocrural joint
Anterior or posterior impingement
Typically, delayed onset following traumatic ankle injury

Synovitis

Ligament scarring

Copyright Joid Goodsin 2023


Foot⁷ and Ankle Orthopedic Disorders Copyright Jodi Gootkin



Posterior Ankle Impingement Clinical Presentation Soft tissue encroachment at tibiotalar and talocalcaneal articulations with end range of motion plantarflexion activities Posterior Ankle Impingement Test Flexor hallucis Talus Stieda Ligament process or scarring longus os trigonum endinopathy Copyright Jodi Gootkin 2023 Kalbouneh, H., et.al. (2021). The Anatomical Variations of the Poster Tubercle of Talus in Patients with Posterior Ankle Impingement Synd 50

50

52





Tendon Pathology Tendonitis vs. tendinosis vs. tendinopathy Continuum of Tendinopathy Reactive Stage tendinopathy Healing Failed Pathological Characteristics response


Achilles Tendinopathy Posterior ankle pain •Insertional - Between tendon and calcaneus • Midportion - In tendon body Biomechanical Systemic Intrinsic abnormalities conditions Mechanical Training overload errors


Achilles Tendinopathy Clinical Presentation Palpable localized tendon thickening or swelling and pain Achilles Tendon Palpation Test Arc Sign Ankle plantar flexion endurance Single-limb Hop Tests


Foot³ and Ankle Orthopedic Disorders Copyright Jodi Gootkin















Foot and Ankle Orthopedic Disorders Copyright Jodi Gootkin

62

64



Peroneal Tendinopathy Clinical Presentation

Ottawa Ankle Rules
Pain on lateral foot and ankle exacerbated with activity
Tenderness to palpation with plantarflexion and inversion stretching
Eversion and plantarflexion weakness with pain
Posture assessment

61

Peroneal Tendinopathy Rehabilitation

Avoid immobilization

Activity modification

Strengthening and proprioceptive training

Orthotic

Training and footwear education

Plantar Fasciitis Faulty mechanics of windlass Midstance to mechanism and excessive vertical toe-off compressive forces create microdamage Excessive pronation and lack of First toe dorsiflexion dorsiflexion Plantar fascia tension Elevates medial longitudinal arch Rigid lever for propulsion Copyright Jod Gootkin 2023

63

Plantar Fasciitis Clinical Presentation

Medial plantar heel pain with initial steps after rest and/or prolonged weight bearing

Windlass Test

Restricted dorsiflexion

Palpable pain at proximal plantar fascia insertion

Negative findings for peripheral nerve entrapment or lumbopelvic radiating pain

Rhim, H. C., et.al. (2021). A Systematic Review of Systematic Reviews on the Epidemiology, Evaluation, and Treatment of Plantar Fascilis. Life, 11(12), 1287.

Plantar Fasciitis Rehabilitation

I lontophoresis, low-level laser, phonophoresis
Joint and soft tissue mobilization

Plantar fascia and triceps surae stretching


Medial longitudinal arch support, heel cushion, night splint


Anti-pronation or kinesiotaping gastrocnemius and plantar fascia

Assess functional, recreation, work-related weight bearing activities and BMI

Martin, R. et al. (2014). Heel pain—plantar fascialis: revision 2014. Journal of Orthopaedic & Sports Physical Therapy, 44(11), At A33.


Foot and Ankle Orthopedic Disorders Copyright Jodi Gootkin






68

70



Patient-Reported Outcomes Measurement Information System – Pain Interference (PROMIS-PI) Measures the self-reported consequences of pain on a person's life Considers the extent to which pain hinders engagement with social, cognitive, emotional, physical, and recreational activities including sleep and enjoyment of life Higher score reflects greater pain interference



Foot and Ankle Ability Measure (FAAM) Assess elements of routine activities with ADL and sports subscales Patient should record N/A if limitation is not attributed to the foot and ankle Lower percentage score reflects lower physical function 72

Foot¹ and Ankle Orthopedic Disorders Copyright Jodi Gootkin

Identification of Functional Ankle Instability (IdFAI)

- Self-report questionnaire to assess if the individual meets the minimum criteria for chronic ankle instability
- Scores greater than 11 suggest chronic ankle instability

Copyright Jodi Gootkin 2023 73

Cumberland Ankle Instability (CAIT)

A brief self-report questionnaire that focuses on symptoms of instability during several physical tasks
Differentiates functionally stable and unstable ankle
Measures the severity of functional instability
Lower scores indicate less stability

Consider This

74

Victorian Institute of Sport Assessment-Achilles (VISA-A)

73

75

- Assesses physical symptom severity for individuals presenting with Achilles tendinopathy
- Specifically, pain in the Achilles tendon region
- Maximum score of 100 with lower scores reflecting greater symptoms

Copyright Loid Gootkin 2023 75

Clinical Test of Sensory Interaction on Balance (CTSIB)

- Assesses postural control under six conditions
- Equipment
- Stopwatch
- Foam pad
- Visual conflict dome

- Somato-sensory

- Copyright Jod Gootkin 2023 Clinical Test of Sensory Interaction on Balance the sensory the sensory

- Copyright Jod Gootkin 2023 Clinical Test of Sensory Interaction on Balance the sensory interaction on Balance the sensory interaction on Balance the sensory interaction on Balance to Sensory

- Copyright Jod Gootkin 2023 Clinical Test of Sensory Interaction on Balance to Sensory

- Copyright Jod Gootkin 2023 Clinical Test of Sensory Interaction on Balance to Sensory

- Copyright Jod Gootkin 2023 Clinical Test of Sensory Interaction on Balance to Sensory

- Copyright Jod Gootkin 2023 Clinical Test of Sensory Interaction on Balance to Sensory

- Copyright Jod Gootkin 2023 Clinical Test of Sensory Interaction on Balance to Sensory

- Copyright Jod Gootkin 2023 Clinical Test of Sensory Interaction on Balance to Sensory

- Copyright Jod Gootkin 2023 Clinical Test of Sensory Interaction on Balance to Sensory

- Copyright Jod Gootkin 2023 Clinical Test of Sensory Interaction on Balance to Sensory

- Copyright Jod Gootkin 2023 Clinical Test of Sensory Interaction on Balance to Sensory

- Copyright Jod Gootkin 2023 Clinical Test of Sensory Interaction on Balance to Sensor

76


Star Excursion Balance Test (SEBT)

- Single limb stance reaching as far as possible with contralateral limb in different directions
- Eight direction star tape pattern created on floor

copyright Jodi Gootkin 2023 77

Y-Balance Test While maintaining single leg stance, free limb reaches in the anterior, posteromedial, and posterolateral directions in relation to the stance foot Tape in Y shape on floor

Foot and Ankle Orthopedic Disorders Copyright Jodi Gootkin



Conclusion • Understanding the mechanism of injury for foot and ankle disorders allows the clinician to appropriately assess the clinical presentation. This will strengthen decision making when developing rehabilitation programs.

80

82

80

- 1. What acronym for management of soft tissue injuries encompasses the continuum of rehabilitation beyond the acute phase and addresses psychosocial contributors? A. POLICE **B. PRICE & VALUE** C. PEACE & LOVE
 - D. RICE

81

- 2. Which provocative test places the foot in 10-15 degrees of plantarflexion and applies an anteriorly directed force to translate the talus while palpating the talus translation?
- A. Medial talar tilt
- B. Reverse anterolateral drawer
- C. Anterior drawer
- D. Anterolateral drawer

82

- 3. What characteristic is specific to the functional instability classification of chronic ankle instability following ankle sprain?
- A. Pain greater than 12 months post injury
- B. Lateral ankle ligament laxity
- C. Anatomic ankle stability
- D. Perception of ankle giving way

4. According to the Ottawa Ankle Rules, inability to bear weight immediately after injury and in department for steps is a factor indicating the need for radiograph to rule out ankle fracture. A. 2 B. 4 C. 6 D. 8

- 5. An individual presenting with ankle instability and anterior ankle pain with dorsiflexion activities 9 months following an ankle sprain should be assessed for what condition?
- A. Anterior ankle impingement
- B. Posterior ankle impingement
- C. Achille's tendinopathy
- D. Plantar fasciitis

85

7. Which of the following is NOT a characteristic of

- A. Calcaneal apophysitis
- B. Posterior heel pain

Sever's disease?

- C. Associated with high activity in childhood
- D. Common in sedentary older adults

87

- 9. Which measure assesses self-reported consequences of pain on an individual's life including enjoyment in life and sleep?
 - A. PROMIS-PI
 - B. IdFAI
 - C. FAAM
 - D. CTSIB

- 6. Which type of exercise can be beneficial when rehabilitating an individual with mid-portion Achilles tendinopathy?
 - A. Closed chain, isometric exercises
 - B. Heavy load, slow speed exercises
 - C. Small range, open chain exercise
 - D. Rapid fatigue, endurance exercise

86

- 8. What is the role of the windlass mechanism during the gait cycle?
- A. Generate eversion stability during midstance
- B. Compensate for functional leg length discrepancy
- C. Transform foot structures into rigid lever for propulsion
- D. Reciprocal inhibition to decelerate in preparation for initial contact

88

- 10. Which measure differentiates between stable and unstable ankles and measures the severity of functional instability?
 - A. SEBT
 - B. VISA-A
 - C. LEFS
 - D. CAIT

Foot and Ankle Orthopedic Disorders References

Abdel-Nasser, N. M., François, B., Dikongue, F., Moumeni, I., & Moulangou, J. P. (2021). Ankle Sprain, Physiotherapy from the Evaluation of the Injury, the Assessment of its Severity to the Restoration of Podal Movement. Acta Scientific Medical Sciences.

Al Bimani, S. A., Gates, L. S., Warner, M., & Bowen, C. (2019). Factors influencing return to play following conservatively treated ankle sprain: a systematic review. The Physician and Sports medicine, 47(1), 31-46.

Albano, D., Bonifacini, C., Zannoni, S., Bernareggi, S., Messina, C., Galia, M., & Sconfienza, L. M. (2021). Plantar forefoot pain: ultrasound findings before and after treatment with custom-made foot orthoses. La radiologia medica, 126(7), 963-970.

Alfaifi, Y., & Webb, D. (2021). The Effects of Pain Neuroscience Education with Conventional Physical Therapy on Chronic Plantar Fasciitis: A Case Study. Open Journal of Therapy and Rehabilitation, 9(2), 57-69.

Alfaro-Santafé, J., Gómez-Bernal, A., Lanuza-Cerzócimo, C., Alfaro-Santafé, J. V., Pérez-Morcillo, A., & Almenar-Arasanz, A. J. (2021). Effectiveness of Custom-Made Foot Orthoses vs. Heel-Lifts in Children with Calcaneal Apophysitis (Sever's Disease): A CONSORT-Compliant Randomized Trial. Children, 8(11), 963.

Alfredson, H., Pietilä, T., Jonsson, P., & Lorentzon, R. (1998). Heavy-load eccentric calf muscle training for the treatment of chronic Achilles tendinosis. The American journal of sports medicine, 26(3), 360-366.

Altink, J. N., Paget, L. D., Blom, R. P., Dahmen, J., Dalmau-Pastor, M., & Kerkhoffs, G. M. (2022). Ankle Sprains and Instability. In Management of Track and Field Injures (pp. 263-272). Springer, Cham.

Altomare, D., Fusco, G., Bertolino, E., Ranieri, R., Sconza, C., Lipina, M., ... & Di Matteo, B. (2022). Evidence-based treatment choices for acute lateral ankle sprain: a comprehensive systematic review. Eur Rev Med Pharmacol Sci, 26(6), 1876-1884.

Amaha, K. (2021). Conservative Treatment for Primary Metatarsalgia. Journal of Orthopedics and Orthopedic Surgery, 2(1).

American College of Radiology. (2021). ACR Appropriateness Criteria. Available at https://www.acr.org/Clinical-Resources/ACR-Appropriateness-Criteria.

Ardakani, M. K., Wikstrom, E. A., Minoonejad, H., Rajabi, R., & Sharifnezhad, A. (2019). Hop-Stabilization Training and Landing Biomechanics in Athletes With Chronic Ankle Instability: A Randomized Controlled Trial. Journal of athletic training, 54(12), 1296–1303.

Arul Latha, D. (2019). Effectiveness of Foot Pronation Correction Exercises in Classical Ballet Dancers with Posterior Ankle Impingement Syndrome (Doctoral dissertation, Madha College of Physiotherapy, Chennai).

Bain, K. A., Kosik, K. B., Terada, M., Gribble, P. A., & Johnson, N. F. (2021). Sensorimotor Connectivity is related to Static Postural Control in Older Adults with History of Lateral Ankle Sprain.

Belikan, P., Färber, L. C., Abel, F., Nowak, T. E., Drees, P., & Mattyasovszky, S. G. (2022). Incidence of calcaneal apophysitis (Sever's disease) and return-to-play in adolescent athletes of a German youth soccer academy: a retrospective study of 10 years. Journal of Orthopaedic Surgery and Research, 17(1), 1-6.

- Bernstein, D. N., Kelly, M., Houck, J. R., Ketz, J. P., Flemister, A. S., DiGiovanni, B. F., ... & Oh, I. (2019). PROMIS pain interference is superior vs numeric pain rating scale for pain assessment in foot and ankle patients. Foot & Ankle International, 40(2), 139-144.
- Beyer, R., Kongsgaard, M., Hougs Kjær, B., Øhlenschlæger, T., Kjær, M., & Magnusson, S. P. (2015). Heavy slow resistance versus eccentric training as treatment for Achilles tendinopathy: a randomized controlled trial. The American journal of sports medicine, 43(7), 1704-1711.
- Bezuglov, E., Khaitin, V., Lazarev, A., Brodskaia, A., Lyubushkina, A., Kubacheva, K., ... & Maffulli, N. (2021). Asymptomatic foot and ankle abnormalities in elite professional soccer players. Orthopaedic Journal of Sports Medicine, 9(1), 2325967120979994.
- Bleakley, C. M., Glasgow, P., & MacAuley, D. C. (2012). PRICE needs updating, should we call the POLICE?. British journal of sports medicine, 46(4), 220-221.
- Borić, I., Pećina, M., Mirković, M., Pećina, T. C., Matoković, D., Plečko, M., & Dumić-Čule, I. (2019). Hallux Sesamoiditis-Radiological Diagnostics and Conservative Management. Sciences, 540, 48-49.
- Burton I& McCormack A. (2022). Assessment of the reporting quality of resistance training interventions in randomized controlled trials for lower limb tendinopathy: A systematic review. SportRXiv
- Byung-Ki Cho, Jaeho Cho* Ki Won Young†, Dong Yeon Lee‡, Su-Young Bae§. (2021). Current Trends in the Treatment of Osteochondral Lesion of the Talus: Analysis of the Korean Foot and Ankle Society (KFAS) Member Survey. Journal of Korean Foot and Ankle Society, 25(4), 149-156.
- Cady, K., Croix, M. D. S., & Deighan, M. (2021). Back foot influence on dorsiflexion using three different positions of the weight bearing lunge test. Physical therapy in sport, 47, 1-6.
- Caravelli, S., Massimi, S., Baltes, T., Dahmen, J., D'Hooghe, P., & Kerkhoffs, G. M. (2022). Foot and Ankle Stress Fractures in Athletics. In Management of Track and Field Injures (pp. 301-309). Springer, Cham.
- Card RK, Bordoni B. (2021). Anatomy, Bony Pelvis and Lower Limb, Foot Muscles. StatPearls. Available from: https://www.ncbi.nlm.nih.gov/books/NBK539705/
- Carroll, L. A., Paulseth, S., & Martin, R. L. (2022). Forefoot Injuries in Athletes: Integration of the Movement System. International journal of sports physical therapy, 17(1), 81–89.
- Chan, J. J., Geller, J. S., Chen, K. K., Huang, H. H., Huntley, S. R., Vulcano, E., & Aiyer, A. (2021). Epidemiology of severe foot injuries in US collegiate athletes. Orthopaedic journal of sports medicine, 9(4), 23259671211001131.
- Chloros, G. D., Kakos, C. D., Tastsidis, I. K., Giannoudis, V. P., Panteli, M., & Giannoudis, P. V. (2022). Fifth metatarsal fractures: an update on management, complications, and outcomes. EFORT Open Reviews, 7(1), 13-25.
- Choo, Y. K., & Kim, H. S. (2021). Comparison of the Effects of Physiotherapy vs. Corticosteroid Injection in Patients with Chronic Plantar Fasciitis. Journal of The Korean Society of Integrative Medicine, 9(4), 237-249.
- Ciardi, G., Gargiulo, B., & Bertoli, L. (2021). Posterior Ankle Impingement Syndrome (PAIS) in Dancer: Systematic Review and Proposal of a Clinical Protocol. J Community Med Public Health, 5(202), 2577-2228.

Clark, N. C., & Campbell, S. D. (2021). Preseason weight-bearing ankle dorsiflexion in male professional football players with and without a history of severe ankle injury: A novel analysis in an English Premier League club. Physical Therapy in Sport, 52, 21-29.

Contreras-Hernandez, I., Falla, D., Schneebeli, A., & Martinez-Valdes, E. (2022). Neuromechanical changes in Achilles tendinopathy and the effects of exercise-induced mechanical tendon loading: a protocol for a systematic review. BMJ open, 12(2), e050186.

Cook, J. L., Rio, E., Purdam, C. R., & Docking, S. I. (2016). Revisiting the continuum model of tendon pathology: what is its merit in clinical practice and research?. British journal of sports medicine, 50(19), 1187-1191.

Corte-Real, N., & Caetano, J. (2021). Ankle and syndesmosis instability: consensus and controversies. EFORT open reviews, 6(6), 420–431.

Crawford AH. Fractures about the foot in children: a radiographic analysis. The Children's Hospital Medical Center: Cincinnati. Flynn, J. M., In Skaggs, D. L., & In Waters, P. M. (2019). Rockwood & Wilkins' fractures in children.

Dahmen, J., Jaddi, S., Hagemeijer, N. C., Lubberts, B., Sierevelt, I. N., Stufkens, S. A. S., d'Hooghe, P., Kennedy, J. G., Calder, J. D. F., DiGiovanni, C. W., & Kerkhoffs, G. M. M. J. (2022). Incidence of (Osteo)Chondral Lesions of the Ankle in Isolated Syndesmotic Injuries: A Systematic Review and Meta-Analysis. CARTILAGE.

Dams, O. C., Reininga, I. H., Zwerver, J., Diercks, R. L., & van den Akker-Scheek, I. (2020). The Achilles tendon Total Rupture Score is a responsive primary outcome measure: an evaluation of the Dutch version including minimally important change. Knee Surgery, Sports Traumatology, Arthroscopy, 28(10), 3330-3338.

de Castro Silva, M., de Marche Baldon, R., Lins, C., de Andrade, G. M., de Castro, G. B. B., & Felicio, L. R. (2021). Immediate effect of manual therapy techniques on the limitation of ankle dorsiflexion: a randomized, controlled, blind clinical trial protocol. Trials, 22(1), 1-9.

Diniz, P., Sousa, D. A., Batista, J. P., Abdelatif, N., & Pereira, H. (2020). Diagnosis and treatment of anterior ankle impingement: state of the art. Journal of ISAKOS: Joint Disorders & Orthopaedic Sports Medicine, 5(5), 295-303.

Doherty, C., Bleakley, C., Hertel, J., Caulfield, B., Ryan, J., & Delahunt, E. (2016). Recovery from a first-time lateral ankle sprain and the predictors of chronic ankle instability: a prospective cohort analysis. The American journal of sports medicine, 44(4), 995-1003.

Dubois, B., & Esculier, J. F. (2020). Soft-tissue injuries simply need PEACE and LOVE. British journal of sports medicine, 54(2), 72-73.

Ellis, S., Branthwaite, H., & Chockalingam, N. (2022). Evaluation and optimisation of a footwear assessment tool for use within a clinical environment. Journal of Foot and Ankle Research, 15(1), 1-9.

Fares, M. Y., Salhab, H. A., Khachfe, H. H., Fares, J., Haidar, R., & Musharrafieh, U. (2021). Sever's Disease of the Pediatric Population: Clinical, Pathologic, and Therapeutic Considerations. Clinical Medicine & Research, 19(3), 132-137.

Fischer, S., Weber, S., Gramlich, Y., Blank, M., Buckup, J., Manegold, S., & Hoffmann, R. (2022). Electrothermal Denervation of Synovial and Capsular Tissue Does not Improve Postoperative Pain in

Arthroscopic Debridement of Anterior Ankle Impingement—A Prospective Randomized Study. Arthroscopy, Sports Medicine, and Rehabilitation.

Fraser, J. J., Hart, J. M., Saliba, S. F., Park, J. S., Tumperi, M., & Hertel, J. (2019). Multisegmented ankle-foot kinematics during gait initiation in ankle sprains and chronic ankle instability. Clinical biomechanics, 68, 80-88.

Fraser, J. J., Pommier, R., MacGregor, A. J., Silder, A. B., & Sander, T. C. (2022). Does choice of athletic footwear affect musculoskeletal injury risk in US Coast Guard recruits? A retrospective cohort study. medRxiv.

Fraser, T. W., & Doty, J. F. (2019). Turf toe: review of the literature and surgical technique. Ann Joint 2019;4:28

Funk, C. D., Fraser, J. J., Resch, J. E., & Hertel, J. (2021). Sensorimotor deficits in distance runners with medial plantar pain. medRxiv.

Ganguly, A., Warner, J., & Aniq, H. (2018). Central metatarsalgia and walking on pebbles: beyond morton neuroma. American Journal of Roentgenology, 210(4), 821-833.

Gorica, Z., McFarland, K., Lewis Jr, J. S., Schweitzer Jr, K. M., & Vap, A. R. (2022). Post-Traumatic Hallux Valgus: A Modified Surgical Technique. Arthroscopy techniques, 11(1), e37-e42.

Gribble, P. A. (2019). Evaluating and differentiating ankle instability. Journal of athletic training, 54(6), 617-627.

Gribble, P. A., & Robinson, R. H. (2009). Alterations in knee kinematics and dynamic stability associated with chronic ankle instability. Journal of athletic training, 44(4), 350.

Gribble, P. A., Delahunt, E., Bleakley, C., Caulfield, B., Docherty, C., Fourchet, F., ... & Wikstrom, E. (2013). Selection criteria for patients with chronic ankle instability in controlled research: a position statement of the International Ankle Consortium. journal of orthopaedic & sports physical therapy, 43(8), 585-591.

Gurav, R. S., Ganu, S. S., & Panhale, V. P. (2014). Reliability of the Identification of Functional Ankle Instability (IdFAI) Scale Across Different Age Groups in Adults. North American journal of medical sciences, 6(10), 516–518.

Habets, B., van Cingel, R. E., Backx, F. J., van Elten, H. J., Zuithoff, P., & Huisstede, B. M. (2021). No difference in clinical effects when comparing alfredson eccentric and silbernagel combined concentric-eccentric loading in achilles tendinopathy: a randomized controlled trial. Orthopaedic journal of sports medicine, 9(10), 23259671211031254.

Hamstra-Wright, K. L., Huxel Bliven, K. C., Bay, R. C., & Aydemir, B. (2021). Risk factors for plantar fasciitis in physically active individuals: a systematic review and meta-analysis. Sports Health, 13(3), 296-303.

Hartley, E. M., Hoch, M. C., & Boling, M. C. (2018). Y-balance test performance and BMI are associated with ankle sprain injury in collegiate male athletes. Journal of science and medicine in sport, 21(7), 676-680.

Hegmann, KT. (2018). American College of Occupational and Environmental Medicine: Ankle and Foot Disorders Guideline. Reed Group, Ltd. https://www.dir.ca.gov/dwc/DWCPropRegs/MTUS-Evidence-Based-Update/Guidelines/ACOEM-Ankle-Foot-Guideline.pdf

Hertel, J., & Corbett, R. O. (2019). An updated model of chronic ankle instability. Journal of athletic training, 54(6), 572-588.

- Hiller, C. E., Refshauge, K. M., Bundy, A. C., Herbert, R. D., & Kilbreath, S. L. (2006). The Cumberland ankle instability tool: a report of validity and reliability testing. Archives of physical medicine and rehabilitation, 87(9), 1235-1241.
- Hoch, M. C., & McKeon, P. O. (2014). Peroneal reaction time after ankle sprain: a systematic review and meta-analysis. Medicine and Science in Sports and Exercise, 46(3).
- Hood Jr., R, and Morrison, S. (2018). Recognizing nerve injuries in patients with acute ankle sprain. Podiatry Today. Available at https://www.hmpgloballearningnetwork.com/site/podiatry/recognizing-nerve-injuries-patients-acute-ankle-sprains
- Hung, M., Baumhauer, J. F., Licari, F. W., Bounsanga, J., Voss, M. W., & Saltzman, C. L. (2019). Responsiveness of the PROMIS and FAAM instruments in foot and ankle orthopedic population. Foot & ankle international, 40(1), 56-64.
- Hunt, K. J., & Bowers, M. W. (2022). Bunions, Hallux Rigidus, Turf Toe, and Sesamoid Injury in the Track and Field Athlete. In Management of Track and Field Injures (pp. 247-261). Springer, Cham.
- Jaffri, A. H., Fraser, J. J., Koldenhoven, R. M., & Hertel, J. (2021). Effects of midfoot joint mobilization on perceived ankle-foot function in chronic ankle instability. A crossover clinical trial. medRxiv.
- Javed, A., Riaz, R., Khalid, I., Khan, N., Javed, H., Tariq, S., & ur Rehman, I. (2021). To find out the effects of myofascial release in the management of Plantar Fasciitis. Journal of Bashir Institute of Health Sciences, 2(2), 85-92.
- Jeon, H. G., Lee, S. Y., Park, S. E., & Ha, S. (2021). Ankle Instability Patients Exhibit Altered Muscle Activation of Lower Extremity and Ground Reaction Force during Landing: A Systematic Review and Meta-Analysis. Journal of Sports Science & Medicine, 20(2), 373.
- Journal of Orthopaedic & Sports Physical Therapy. (2018). Optimizing Recovery After Achilles Tendon Pain: Guidelines Help Deliver Quality Care. Journal of Orthopaedic & Sports Physical Therapy, Published Online: April 30, 2018, 48:5, Pages 427-427. https://pubmed.ncbi.nlm.nih.gov/29712548/ Accessed February 15, 2022
- Kalbouneh, H., Alsalem, M., Hani, M. B., Alhusamiah, H., Momani, Y., Massad, T., ... & Alajoulin, O. (2021). The Anatomical Variations of the Posterolateral Tubercle of Talus in Patients with Posterior Ankle Impingement Syndrome.
- Kashif, M., Albalwi, A. A., Alharbi, A. A., Iram, H., & Manzoor, N. (2021). Comparison of subtalar mobilization with conventional physiotherapy treatment for the management of planter fasciitis. Journal of the Pakistan Medical Association, 1-12.
- Kearney, R. S., Achten, J., Lamb, S. E., Parsons, N., & Costa, M. L. (2012). The Achilles tendon total rupture score: a study of responsiveness, internal consistency and convergent validity on patients with acute Achilles tendon ruptures. Health and quality of life outcomes, 10(1), 1-7.
- Khalili, S. M., Barati, A. H., Oliveira, R., & Nobari, H. (2022). Effect of Combined Balance Exercises and Kinesio Taping on Balance, Postural Stability, and Severity of Ankle Instability in Female Athletes with Functional Ankle Instability. Life, 12(2), 178.
- Khotimah, S. N., Pristianto, A., & Rochmaningtyas, P. (2022, January). Effectiveness of ultrasound (us), transcutaneous electrical nerve stimulation (tens) and stretching in plantar fasciitis cases: a case report. In Academic Physiotherapy Conference Proceeding (pp. 282-287).

- Khurana A, Singh I, Singh MS. Is anterior and posterior ankle impingement under-diagnosed? A review. J Arthrosc Surg Sports Med 2021;2(1):58-65.
- Kim, H., Song, S., Lee, S., & Lee, S. (2021). Short-term effects of joint mobilization with versus without voluntary movement in patients with chronic ankle instability: A single-blind randomized controlled trial. Physical Therapy Rehabilitation Science, 10(1), 1-9.
- Kim, Y. H., Chai, J. W., Kim, D. H., Kim, H. J., & Seo, J. (2022). A problem-based approach in musculoskeletal ultrasonography: heel pain in adults. Ultrasonography, 41(1), 34.
- Kobayashi, T., Koshino, Y., & Miki, T. (2021). Abnormalities of foot and ankle alignment in individuals with chronic ankle instability: a systematic review. BMC musculoskeletal disorders, 22(1), 1-8.
- Kohring, J. M., Houck, J. R., Oh, I., Flemister, A. S., Ketz, J. P., & Baumhauer, J. F. (2020). Pattern of recovery and outcomes of patient reported physical function and pain interference after ankle fusion: a retrospective cohort study. Journal of Patient-Reported Outcomes, 4(1), 1-8.
- Krause, F., & Anwander, H. (2022). Osteochondral lesion of the talus: still a problem?. EFORT open reviews, 7(6), 337-343.
- Lagas, I. F., van der Vlist, A. C., van Oosterom, R. F., van Veldhoven, P. L., Reijman, M., Verhaar, J. A., & De Vos, R. J. (2021). Victorian Institute of Sport Assessment-Achilles (VISA-A) Questionnaire—Minimal Clinically Important Difference for Active People With Midportion Achilles Tendinopathy: A Prospective Cohort Study. Journal of Orthopaedic & Sports Physical Therapy, 51(10), 510-516.
- Lai, S. H., Tang, C. Q., & Thevendran, G. (2020). Forefoot Injuries in Sports. Journal of Foot and Ankle Surgery (Asia Pacific), 7(2), 51.
- Lan, T., McCarthy, H. S., Hulme, C. H., Wright, K. T., & Makwana, N. (2021). The management of talar osteochondral lesions-Current concepts. Journal of Arthroscopy and Joint Surgery, 8(3), 231-237.
- Lapanantasin, S., Thongloy, N., Samsee, M., Wonghirunsombat, N., Nuangpulsarp, N., Ua-Areejit, C., & Phattaraphanasakul, P. (2022). Comparative Effect of Walking Meditation and Rubber-band Exercise on Ankle Proprioception and Balance Performance Among Persons With Chronic Ankle Instability: A Randomized Controlled Trial. Complementary Therapies in Medicine, 102807.
- Larkins, L. W., Baker, R. T., & Baker, J. G. (2020). Physical examination of the ankle: a review of the original orthopedic special test description and scientific validity of common tests for ankle examination. Archives of Rehabilitation Research and Clinical Translation, 2(3), 100072.
- Lavery, K. P., McHale, K. J., Rossy, W. H., & Theodore, G. (2016). Ankle impingement. Journal of orthopaedic surgery and research, 11(1), 1-7.
- Lee, K. K., Ling, S. K., & Yung, P. S. (2019). Controlled trial to compare the Achilles tendon load during running in flatfeet participants using a customized arch support orthoses vs an orthotic heel lift. BMC musculoskeletal disorders, 20(1), 1-12.
- Li, Q., Tu, Y., Chen, J., Shan, J., Yung, P. S. H., Ling, S. K. K., & Hua, Y. (2020). Reverse anterolateral drawer test is more sensitive and accurate for diagnosing chronic anterior talofibular ligament injury. Knee Surgery, Sports Traumatology, Arthroscopy, 28(1), 55-62.
- Lin C-I, Khajooei M, Engel T, Nair A, Heikkila M, Kaplick H, et al. (2021) The effect of chronic ankle instability on muscle activations in lower extremities. PLoS ONE 16(2): e0247581.

- Lin, C. I., Houtenbos, S., Lu, Y. H., Mayer, F., & Wippert, P. M. (2021). The epidemiology of chronic ankle instability with perceived ankle instability-a systematic review. Journal of Foot and Ankle Research, 14(1), 1-11.
- Lin, J. Z., Lin, Y. A., Tai, W. H., & Chen, C. Y. (2022). Influence of Landing in Neuromuscular Control and Ground Reaction Force with Ankle Instability: A Narrative Review. Bioengineering, 9(2), 68.
- Lipa, L. Y., Kalita, A., & Dutta, A. A Comparative Study To Find Out The Effectiveness Of Myofascial Release Technique Along With Stretching Versus Myofascial Release Technique In Patients With Plantar Fasciitis.(2022). Int. J. Life Sci. Pharma Res, 12(1), L183-193.
- Lysdal, F. G., Wang, Y., Delahunt, E., Gehring, D., Kosik, K. B., Krosshaug, T., ... & Fong, D. T. (2022). What have we learnt from quantitative case reports of acute lateral ankle sprains injuries and episodes of 'giving-way' of the ankle joint, and what shall we further investigate? Sports Biomechanics, 21(4), 359-379.
- Ma, T., Li, Q., Song, Y., & Hua, Y. (2021). Chronic ankle instability is associated with proprioception deficits: a systematic review and meta-analysis. Journal of sport and health science, 10(2), 182-191.
- Mardani-Kivi, M., & Azari, Z. (2022). Treatment of Acute Type I Proximal Fifth Metatarsal Fracture; Casting vs Bracing. Trauma Monthly, 27(2), 418-426.
- Martin, R. L., Davenport, T. E., Fraser, J. J., Sawdon-Bea, J., Carcia, C. R., Carroll, L. A., ... & Carreira, D. (2021). Ankle Stability and Movement Coordination Impairments: Lateral Ankle Ligament Sprains Revision 2021: Clinical Practice Guidelines Linked to the International Classification of Functioning, Disability and Health From the Academy of Orthopaedic Physical Therapy of the American Physical Therapy Association. Journal of Orthopaedic & Sports Physical Therapy, 51(4), CPG1-CPG80.
- Martin, R. L., Davenport, T. E., Reischl, S. F., McPoil, T. G., Matheson, J. W., Wukich, D. K., ... & Godges, J. J. (2014). Heel pain—plantar fasciitis: revision 2014. Journal of Orthopaedic & Sports Physical Therapy, 44(11), A1-A33.
- Matthews, W., Ellis, R., Furness, J., & Hing, W. A. (2021). The clinical diagnosis of Achilles tendinopathy: a scoping review. PeerJ, 9, e12166.
- McCormack, A., & Council, A. C. Resistance training interventions for lower limb tendinopathy: A scoping review of resistance training reporting content, quality, and scientific implementation.
- McKeon, P. O., & Wikstrom, E. A. (2016). Sensory-targeted ankle rehabilitation strategies for chronic ankle instability. Medicine and science in sports and exercise, 48(5), 776.
- Mei-Dan O, Michael R. Carmont, Laver L, Mann G, Maffulli N, Meir Nyska, Platelet-Rich Plasma or hyaluronate in the Management of Osteochondral Lesions of the Talus, The American Journal of Sports Medicine, Vol 40, Issue 3, pp. 534 541, First published date: January-17-2012
- Menz, H. B. (2015). Biomechanics of the ageing foot and ankle: a mini-review. Gerontology, 61(4), 381-388.
- Mercer, N. P., Samsonov, A. P., Dankert, J. F., Gianakos, A. L., Stornebrink, T., Delmonte, R. J., ... & Kennedy, J. G. (2022). Improved Clinical Outcomes and Patient Satisfaction of In-Office Needle Arthroscopy for the Treatment of Posterior Ankle Impingement. Arthroscopy, Sports Medicine, and Rehabilitation.
- Metzl, J. A., Bowers, M. W., & Anderson, R. B. (2022). Fifth metatarsal jones fractures: diagnosis and treatment. JAAOS-Journal of the American Academy of Orthopaedic Surgeons, 30(4), e470-e479.

Mills, K. M., Preston, E. B., Choffin Schmitt, B. M., Brochu, H. K., Schafer, E. A., Robinette, P. E., ... & Coronado, R. A. (2021). Embedding pain neuroscience education in the physical therapy management of patients with chronic plantar fasciitis: a prospective case series. Journal of Manual & Manipulative Therapy, 29(3), 158-167.

Mirando, M., Conti, C., Zeni, F., Pedicini, F., Nardone, A., & Pavese, C. (2022). Gait Alterations in Adults after Ankle Fracture: A Systematic Review. Diagnostics, 12(1), 199.

Mohammad, W. S., Elattar, F. F., Elsais, W. M., & AlDajah, S. O. (2021). Validity and reliability of a smartphone and digital inclinometer in measuring the lower extremity joints range of motion. Montenegrin Journal of Sports Science and Medicine, 10(2), 47-52.

Mohammadi, N., Hadian, M. R., & Olyaei, G. R. (2022). Compare the Effect of Traditional and Virtual Reality Training on Subjective-sense of Instability and Balance in Basketball-players with Functional Ankle Instability: Matched Randomized Clinical Trial. Journal of Biomedical Physics and Engineering.

Mubark, I., Abouelela, A., Arya, S., Buchanan, D., Elgalli, M., Parker, J., ... & Karagkevrekis, C. (2020). Achilles Tendon Rupture: Can the Tendon Gap on Ultrasound Scan Predict the Outcome of Functional Rehabilitation Program?. Cureus, 12(9).

Munari, D., Serina, A., Leonardelli, A., Lanza, D., Caramori, A., Guerrini, A., ... & Picelli, A. (2022). Effects of deep heating modalities on the morphological and elastic properties of the non-insertional region of achilles tendon: a pilot study. International Journal of Hyperthermia, 39(1), 222-228.

Murphy, M. C., Debenham, J., Bulsara, C., Chivers, P., Rio, E. K., Docking, S. I., ... & Gibson, W. (2022). Assessment and Monitoring of Achilles Tendinopathy in Clinical Practice: A Qualitative Exploration of the Barrier's Clinicians Face.

Mutschler, M., Naendrup, J. H., Pfeiffer, T. R., Jaecker, V., Arbab, D., Shafizadeh, S., & Buchhorn, T. (2022). Current status of the management of isolated syndesmotic injuries in Germany. Archives of Orthopaedic and Trauma Surgery, 1-8.

National Institute for Health and Care Excellence. (2019). Diabetic foot problems: prevention and management. NICE guideline [NG19].

https://www.nice.org.uk/guidance/ng19/chapter/Recommendations#diabetic-foot-problems Accessed February 15, 2022

Nery, C., Fonseca, L. F., Gonçalves, J. P., Mansur, N., Lemos, A., & Maringolo, L. (2020). First MTP joint instability—expanding the concept of "turf-toe" injuries. Foot and Ankle Surgery, 26(1), 47-53.

Nguyen, A. P., Mahaudens, P., Detrembleur, C., Hall, T., & Hidalgo, B. (2021). Inferior tibiofibular joint mobilization with movement and taping does not improve chronic ankle dorsiflexion stiffness: a randomized placebo-controlled trial. Journal of Manual & Manipulative Therapy, 29(2), 73-82.

Nguyen, A. P., Pitance, L., Mahaudens, P., Detrembleur, C., David, Y., Hall, T., & Hidalgo, B. (2021). Effects of Mulligan mobilization with movement in subacute lateral ankle sprains: a pragmatic randomized trial. Journal of Manual & Manipulative Therapy, 29(6), 341-352.

Norkus, S. A., & Floyd, R. T. (2001). The anatomy and mechanisms of syndesmotic ankle sprains. Journal of athletic training, 36(1), 68–73.

Nunes, G. S., Feldkircher, J. M., Tessarin, B. M., Bender, P. U., da Luz, C. M., & de Noronha, M. (2021). Kinesio taping does not improve ankle functional or performance in people with or without ankle injuries: Systematic review and meta-analysis. Clinical Rehabilitation, 35(2), 182-199.

- Omodani, T., & Takahashi, K. (2022). Ultrasound findings of the deltoid ligament in patients with acute ankle sprains: A retrospective review. Journal of Orthopaedic Science.
- Pawik, Ł., Pawik, M., Wysoczańska, E., Schabowska, A., Morasiewicz, P., & Fink-Lwow, F. (2022). In Patients with Grade I and II Ankle Sprains, Dynamic Taping Seems to Be Helpful during Certain Tasks, Exercises and Tests in Selected Phases of the Rehabilitation Process: A Preliminary Report. International Journal of Environmental Research and Public Health, 19(9), 5291.
- Pina, M., Messina, J., & Geaney, L. E. (2021). Persistent Nerve Injury and CRPS After Ankle Sprains. Techniques in Foot & Ankle Surgery, 20(1), 2-5.
- Pires, R., Pereira, A., Abreu-E-Silva, G., Labronici, P., Figueiredo, L., Godoy-Santos, A., & Kfuri, M. (2014). Ottawa ankle rules and subjective surgeon perception to evaluate radiograph necessity following foot and ankle sprain. Annals of medical and health sciences research, 4(3), 432–435.
- Plisky, P. J., Bullock, G. S., Garner, M. B., Ricard, R., Hayden, J., Huebner, B., ... & Kiesel, K. (2021). The Dorsiflexion Range of Motion Screen: A Validation Study. International Journal of Sports Physical Therapy, 16(2), 306.
- Powers, C. M., Ghoddosi, N., Straub, R. K., & Khayambashi, K. (2017). Hip strength as a predictor of ankle sprains in male soccer players: a prospective study. Journal of athletic training, 52(11), 1048-1055.
- Primadhi, R. A., & Herman, H. (2021). Diabetic foot: Which one comes first, the ulcer or the contracture?. World Journal of Orthopedics, 12(2), 61.
- Rabusin, C. L., Menz, H. B., McClelland, J. A., Evans, A. M., Landorf, K. B., Malliaras, P., ... & Munteanu, S. E. (2019). Efficacy of heel lifts versus calf muscle eccentric exercise for mid-portion Achilles tendinopathy (the HEALTHY trial): study protocol for a randomised trial. Journal of foot and ankle research, 12(1), 1-12.
- Ranbhor, A. R., Prabhakar, A. J., & Eapen, C. (2021). Immediate effect of foam roller on pain and ankle range of motion in patients with plantar fasciitis: A randomized controlled trial. Hong Kong Physiotherapy Journal, 41(01), 25-33.
- Rathi, A., & Sahasrabuddhe, P. (2021). Inter and Intra Rater Reliability of Different Measurement Techniques of Weight Bearing Ankle Dorsiflexion Range of Motion. Int J Physiother Res, 9(6), 4045-50.
- Rhim, H. C., Kwon, J., Park, J., Borg-Stein, J., & Tenforde, A. S. (2021). A Systematic Review of Systematic Reviews on the Epidemiology, Evaluation, and Treatment of Plantar Fasciitis. Life, 11(12), 1287.
- Rikken, Q. G., Dahmen, J., Altink, J. N., Canata, G. L., D'Hooghe, P., & Kerkhoffs, G. M. (2022). Osteochondral Lesions of the Ankle: An Evidence-Based Approach for Track and Field Athletes. In Management of Track and Field Injures (pp. 273-281). Springer, Cham.
- Rosen, A. B., Needle, A. R., & Ko, J. (2019). Ability of functional performance tests to identify individuals with chronic ankle instability: a systematic review with meta-analysis. Clinical Journal of Sport Medicine, 29(6), 509-522.
- Ryan, D., Rio, E., O'Donoghue, G., & O'Sullivan, C. (2022). The effect of combined action observation therapy and eccentric exercises in the treatment of mid-portion Achilles tendinopathy: study protocol for a feasibility pilot randomised controlled trial. Pilot and Feasibility Studies, 8(1), 1-11.
- Saarinen, A. J., Bondfolk, A. S., Repo, J. P., Sandelin, H., & Uimonen, M. M. (2022). Longitudinal validity and minimal important change for the modified lower extremity functional scale (LEFS) in orthopedic foot and ankle patients. The Journal of Foot and Ankle Surgery, 61(1), 127-131.

- Saloom, A., Purcell, N., Ruhe, M., Gomez, J., Santana, J., & Kushare, I. (2021). Role of physical therapy in the treatment of posterior ankle impingement in pediatric athletes-a prospective study. Orthopaedic Journal of Sports Medicine, 9(7_suppl3), 2325967121S00082.
- Schrier, N., Wannop, J. W., Worobets, J. T., & Stefanyshyn, D. J. (2022). Influence of Compliance and Aging of Artificial Turf Surfaces on Lower Extremity Joint Loading. Biomechanics, 2(1), 66-75.
- Scott, A., Squier, K., Alfredson, H., Bahr, R., Cook, J. L., Coombes, B., ... & Zwerver, J. (2020). Icon 2019: international scientific tendinopathy symposium consensus: clinical terminology. British journal of sports medicine, 54(5), 260-262.
- Senécal, Isabelle, and Nadia Richer. "Conservative management of posterior ankle impingement: a case report." The Journal of the Canadian Chiropractic Association vol. 60,2 (2016): 164-74.
- Singh, D. P., Barani Lonbani, Z., Woodruff, M. A., Parker, T. J., Steck, R., & Peake, J. M. (2017). Effects of topical icing on inflammation, angiogenesis, revascularization, and myofiber regeneration in skeletal muscle following contusion injury. Frontiers in physiology, 8, 93.
- Sousa, A. S. (2018). Antagonist co-activation during short and medium latency responses in subjects with chronic ankle instability. Journal of Electromyography and Kinesiology, 43, 168-173.
- Sousa, A. S., Leite, J., Costa, B., & Santos, R. (2017). Bilateral proprioceptive evaluation in individuals with unilateral chronic ankle instability. Journal of Athletic Training, 52(4), 360-367.
- Sousa, A. S., Silva, M., Gonzalez, S., & Santos, R. (2018). Bilateral compensatory postural adjustments to a unilateral perturbation in subjects with chronic ankle instability. Clinical Biomechanics, 57, 99-106.
- Strudwick, K., McPhee, M., Bell, A., Martin-Khan, M., & Russell, T. (2018). Best practice management of common ankle and foot injuries in the emergency department (part 2 of the musculoskeletal injuries rapid review series). Emergency Medicine Australasia, 30(2), 152-180.
- Tamboli, U., & Patil, C. (2021). Effect of myofascial release with lower limb strengthening on plantar fasciitis. International Journal of Physical Education, Sports and Health; 8(1): 27-31
- Tarantino, D., Palermi, S., Sirico, F., & Corrado, B. (2020). Achilles Tendon Rupture: Mechanisms of Injury, Principles of Rehabilitation and Return to Play. Journal of functional morphology and kinesiology, 5(4), 95.
- Thevendran, G., Kadakia, A. R., Giza, E., Haverkamp, D., D'Hooghe, J. P., Veljkovic, A., & Abdelatif, N. (2021). Acute foot and ankle injuries and time return to sport. SICOT-J, 7, 27.
- Tomruk, M. S., Tomruk, M., Alkan, E., & Gelecek, N. (2022). Is Ankle Kinesio Taping Effective to Immediately Change Balance, Range of Motion, and Muscle Strength in Healthy Individuals? A Randomized, Sham-Controlled Trial. Korean Journal of Family Medicine, 43(2), 109.
- Trache, T., Camenzind, R. S., Bachmann, E., Viehöfer, A., Jud, L., Wirth, S., & Imhoff, F. B. (2022). A Biomechanical Analysis of Peroneus Brevis Split Lesions, Repair, and Partial Resection. Foot & Ankle International, 10711007211069558.
- Uroz, N. Z., Paniagua, A., Fernández-Kelly, I., de Soto, P. C. M., Pozo, D. G., & García, D. G. (2022). Pathophysiology, diagnosis and treatment of Achilles tendinopathy. Rev Esp Artrosc Cir Articul En, 29(1), 0-0.
- van Dijk, P. A., França, G., Dahmen, J., Kerkhoffs, G. M., D'Hooghe, P., & Karlsson, J. (2022). Achilles Tendon, Calf, and Peroneal Tendon Injuries. In Management of Track and Field Injures (pp. 235-246). Springer, Cham.

- van Dijk, P. A., Miller, D., Calder, J., DiGiovanni, C. W., Kennedy, J. G., Kerkhoffs, G. M., Kynsburtg, A., Havercamp, D., Guillo, S., Oliva, X. M., Pearce, C. J., Pereira, H., Spennacchio, P., Stephen, J. M., & van Dijk, C. N. (2018). The ESSKA-AFAS international consensus statement on peroneal tendon pathologies. Knee surgery, sports traumatology, arthroscopy: official journal of the ESSKA, 26(10), 3096–3107.
- Vincent, H. K., Brownstein, M., & Vincent, K. R. (2022). Injury prevention, safe training techniques, rehabilitation, and return to sport in trail runners. Arthroscopy, sports medicine, and rehabilitation, 4(1), e151-e162.
- Vuurberg, G., Hoorntje, A., Wink, L. M., Van Der Doelen, B. F., Van Den Bekerom, M. P., Dekker, R., ... & Kerkhoffs, G. M. (2018). Diagnosis, treatment and prevention of ankle sprains: update of an evidence-based clinical guideline. British journal of sports medicine, 52(15), 956-956.
- Vuurberg, G., Kluit, L., & van Dijk, C. N. (2018). The Cumberland Ankle Instability Tool (CAIT) in the Dutch population with and without complaints of ankle instability. Knee surgery, sports traumatology, arthroscopy: official journal of the ESSKA, 26(3), 882–891.
- Wade, F. E., Mok, K. M., & Fong, D. T. P. (2018). Kinematic analysis of a televised medial ankle sprain. Asia-Pacific journal of sports medicine, arthroscopy, rehabilitation and technology, 12, 12-16.
- Wang, H., Yu, H., Kim, Y. H., & Kan, W. (2021). Comparison of the Effect of Resistance and Balance Training on Isokinetic Eversion Strength, Dynamic Balance, Hop Test, and Ankle Score in Ankle Sprain. Life, 11(4), 307.
- Wang, Z. L., Cui, L., & Li, G. S. (2021). Three-Portal Approach of Arthroscopy for Anterior Ankle Impingement Syndrome: A Propensity Score-Matched Analysis. Orthopaedic Surgery, 13(1), 53-62.
- Washington State Department of Labor and Industries. (2017). Surgical Guideline for Work-related Ankle and Foot Injuries. https://www.lni.wa.gov/patient-care/treating-patients/treatment-guidelines-and-resources/_docs/AnkleFootFinalGuideline081017wcorrection120417.pdf Accessed February 15, 2022
- Wenning, M., Gehring, D., Mauch, M., Schmal, H., Ritzmann, R., & Paul, J. (2020). Functional deficits in chronic mechanical ankle instability. Journal of Orthopaedic Surgery and Research, 15(1), 1-8.
- Yamin, N. A. A., Basaruddin, K. S., Bakar, S. A., Salleh, A. F., Som, M. H. M., Bakar, A. H. A., & Putra, P. (2022). Lower extremity joint reaction forces and plantar fascia strain responses due to incline and decline walking. Available at http://www.actabio.pwr.wroc.pl/Vol24No1/8.pdf
- Yan, A., Chen, S. R., Ma, X., Shi, Z., & Hogan, M. (2021). Updates on Lisfranc Complex Injuries. Foot & ankle orthopaedics, 6(1).
- Yassin, M., Myatt, R., Thomas, W., Gupta, V., Hoque, T., Mahadevan, D. (2020). Does size of tendon gap affect patient-reported outcome following achilles tendon rupture treated with functional rehabilitation? Bone & Joint Journal, 102-B, 1535-1541.
- Yuen, M. C., & Saunders, F. (2001). The Ottawa ankle rules in children. Emergency Medicine Journal, 18(6), 466-467.
- Zunko, H., & Vauhnik, R. (2021). Reliability of the weight-bearing ankle dorsiflexion range of motion measurement using a smartphone goniometer application. PeerJ, 9, e11977.

Zwiers, R., Miedema, T., Wiegerinck, J. I., Blankevoort, L., & van Dijk, C. N. (2021). Open Versus Endoscopic Surgical Treatment of Posterior Ankle Impingement: A Meta-analysis. The American Journal of Sports Medicine, 03635465211004977.

Foot and Ankle Orthopedic Disorders Resources

APTA Lateral Ankle Sprain Clinical Practice Guideline https://www.jospt.org/doi/pdf/10.2519/jospt.2021.0302

APTA Midportion Achilles Tendinopathy Clinical Practice Guideline https://www.jospt.org/doi/epdf/10.2519/jospt.2018.0302

Continuum of Tendinopathy

https://bjsm.bmj.com/content/bjsports/50/19/1187.full.pdf

Achilles Tendon Total Rupture Score

http://www.londonorthopaedicsurgery.co.uk/media/1467/ATRS-questionnaire.pdf

APTA Plantar Fasciitis Clinical Practice Guideline https://www.jospt.org/doi/pdf/10.2519/jospt.2014.0303

Patient-Reported Outcomes Measurement Information System – Pain Interference (PROMIS-PI) https://www.healthmeasures.net/implement-healthmeasures/administration-platforms

Lower Extremity Functional Scale (LEFS)

https://www.apta.org/contentassets/d6463ac2e3fd454cb0c9f8b6ba7c495b/lefs-test.pdf

Foot and Ankle Ability Measure (FAAM)

https://www.sralab.org/rehabilitation-measures/foot-and-ankle-ability-measures

Identification of Functional Ankle Instability (IdFAI)

http://m4.wyanokecdn.com/ed75cc230849eb339ef5d18ad745cf3e.pdf

Cumberland Ankle Instability Tool (CAIT)

https://orthotoolkit.com/cait/

Victorian Institute of Sport Assessment-Achilles (VISA-A)

https://www.sralab.org/rehabilitation-measures/victorian-institute-sports-assessment-achilles

Clinical Test of Sensory Interaction in Balance Foot and Ankle Orthopedic Disorders Copyright Jodi Gootkin

https://www.sralab.org/rehabilitation-measures/clinical-test-sensory-interaction-balance-vedge

Y-Balance Test

https://cpb-us-w2.wpmucdn.com/sites.udel.edu/dist/c/3448/files/2017/09/SEBT instructions updated-Sept-18-2017-1cq2rco.pdf

Single-Limb Hop Tests

https://www.sralab.org/rehabilitation-measures/single-limb-hop-tests